

## 参考資料



■高額なレセプトの分析（１カ月 200 万円以上となった全レセプト、１年間）平成 23 年度（様式 1－1～2）

| 区分    | 男性    | 女性    | 合計   |
|-------|-------|-------|------|
| 65歳未満 | 96    | 47    | 143  |
|       | 67.1% | 32.9% | 100% |
| 65歳以上 | 81    | 59    | 140  |
|       | 57.9% | 42.1% | 100% |
| 合計    | 177   | 106   | 283  |
|       | 62.5% | 37.5% | 100% |

| (200万以上284名中) | 件数(人)計<br>(%) |       | 入院件(人)<br>数(%) |      | 費用額合計<br>(円) | 一件あたり<br>費用額<br>(円) | 他疾患の合併(基礎疾患及び疾病の進展) |       |      |       |      |       |       |       |            |       |       |       |       |       |      |       |     |      |
|---------------|---------------|-------|----------------|------|--------------|---------------------|---------------------|-------|------|-------|------|-------|-------|-------|------------|-------|-------|-------|-------|-------|------|-------|-----|------|
|               |               |       |                |      |              |                     | 基 礎 疾 患             |       |      |       |      |       |       |       | 循 環 器 疾 患  |       |       |       |       |       |      |       | その他 |      |
|               |               |       |                |      |              |                     | 高血圧症                |       | 糖尿病  |       | 高脂血症 |       | 高尿酸血症 |       | 虚血性<br>心疾患 |       | 大動脈疾患 |       | 脳血管疾患 |       | 動脈閉塞 |       |     |      |
|               |               |       |                |      |              |                     | 計(%)                |       | 計(%) |       | 計(%) |       | 計(%)  |       | 計(%)       |       | 計(%)  |       | 計(%)  |       | 計(%) |       |     |      |
| 虚血性心疾患        | 177           | 62.3% | 176            | 99%  | 692,042,520  | 3,909,845           | 152                 | 85.9% | 148  | 83.6% | 107  | 60.5% | 66    | 37.3% |            |       | 31    | 17.5% | 84    | 47.5% | 54   | 30.5% |     | 0.0% |
| 大動脈疾患         | 40            | 14.1% | 40             | 100% | 144,301,020  | 3,607,526           | 37                  | 92.5% | 37   | 92.5% | 31   | 77.5% | 17    | 42.5% | 31         | 77.5% |       |       | 23    | 57.5% | 28   | 70.0% |     | 0.0% |
| 脳血管疾患         | 135           | 47.5% | 134            | 99%  | 530,360,660  | 3,928,597           | 116                 | 85.9% | 101  | 74.8% | 81   | 60.0% | 43    | 31.9% | 84         | 62.2% | 23    | 17.0% |       |       | 37   | 27.4% |     | 0.0% |

■ 6 か月以上入院している患者の生活習慣病の状況

|    |        | 6 か月以上入院<br>している患者総<br>数 |        | 基礎疾患 |       |     |       |      |       |       |       | 循環器疾患  |       |       |       |      |       |
|----|--------|--------------------------|--------|------|-------|-----|-------|------|-------|-------|-------|--------|-------|-------|-------|------|-------|
|    |        |                          |        | 高血圧症 |       | 糖尿病 |       | 高脂血症 |       | 高尿酸血症 |       | 虚血性心疾患 |       | 脳血管疾患 |       | 動脈閉塞 |       |
|    |        | 人数                       | 率      | 人数   | 率     | 人数  | 率     | 人数   | 率     | 人数    | 率     | 人数     | 率     | 人数    | 率     | 人数   | 率     |
|    |        | 736                      | 100.0% | 261  | 35.5% | 317 | 43.1% | 177  | 24.0% | 48    | 6.5%  | 163    | 22.1% | 220   | 29.9% | 26   | 3.5%  |
| 再掲 | 虚血性心疾患 | 163                      | 100.0% | 87   | 53.4% | 104 | 63.8% | 71   | 43.6% | 23    | 14.1% |        |       | 79    | 48.5% | 18   | 11.0% |
|    | 脳血管疾患  | 220                      | 100.0% | 144  | 65.5% | 123 | 55.9% | 75   | 34.1% | 19    | 8.6%  |        |       |       |       | 6    | 2.7%  |
|    | 動脈閉塞   | 26                       | 100.0% | 22   | 84.6% | 23  | 88.5% | 17   | 65.4% | 2     | 7.7%  | 18     | 69.2% | 6     | 23.1% |      |       |

# ■生活習慣病全体の分析（様式３－１）

## ◆男性

平成24年5月

| 年代        | 国保加入者数 | 1ヶ月の受診実人数 | 生活習慣病対象者 | 大血管障害  |       |        |       | 人工透析  |     | 糖尿病  |       | (再掲)糖尿病併合症 |     |         |     |        |     |          |     | 糖尿病以外の血管を痛める因子 |       |       |       |       |       |       |
|-----------|--------|-----------|----------|--------|-------|--------|-------|-------|-----|------|-------|------------|-----|---------|-----|--------|-----|----------|-----|----------------|-------|-------|-------|-------|-------|-------|
|           |        |           |          | 虚血性心疾患 |       | 脳血管疾患  |       |       |     |      |       | インスリン療法    |     | 糖尿病性網膜症 |     | 糖尿病性腎症 |     | 糖尿病性神経障害 |     | 高血圧症           |       | 高脂血症  |       | 高尿酸血症 |       |       |
|           |        |           |          | 数      | 割合    | 数      | 割合    | 数     | 割合  | 数    | 割合    | 数          | 割合  | 数       | 割合  | 数      | 割合  | 数        | 割合  | 数              | 割合    | 数     | 割合    |       |       |       |
| 20歳代以下    | 15,032 | 3,579     | 245      | 1.6%   | 16    | 6.53%  | 19    | 7.8%  | 4   | 1.6% | 33    | 13.5%      | 1   | 0.4%    | 2   | 0.8%   | 0   | 0.0%     | 1   | 0.4%           | 24    | 9.8%  | 25    | 10.2% | 24    | 9.8%  |
| 30歳代      | 6,764  | 1,208     | 354      | 5.2%   | 19    | 5.37%  | 28    | 7.9%  | 6   | 1.7% | 98    | 27.7%      | 1   | 0.3%    | 11  | 3.1%   | 5   | 1.4%     | 2   | 0.6%           | 123   | 34.7% | 134   | 37.9% | 82    | 23.2% |
| 40歳代      | 7,380  | 1,824     | 986      | 13.4%  | 97    | 9.84%  | 81    | 8.2%  | 29  | 2.9% | 387   | 39.2%      | 14  | 1.4%    | 40  | 4.1%   | 30  | 3.0%     | 11  | 1.1%           | 531   | 53.9% | 429   | 43.5% | 249   | 25.3% |
| 50歳代      | 7,576  | 2,642     | 1,847    | 24.4%  | 253   | 13.70% | 253   | 13.7% | 78  | 4.2% | 752   | 40.7%      | 30  | 1.6%    | 73  | 4.0%   | 62  | 3.4%     | 37  | 2.0%           | 1,300 | 70.4% | 786   | 42.6% | 526   | 28.5% |
| 60歳代      | 9,708  | 5,102     | 3,981    | 41.0%  | 763   | 19.17% | 695   | 17.5% | 114 | 2.9% | 1,808 | 45.4%      | 44  | 1.1%    | 222 | 5.6%   | 188 | 4.7%     | 79  | 2.0%           | 3,113 | 78.2% | 1,865 | 46.8% | 995   | 25.0% |
| 70～74歳    | 5,672  | 3,989     | 3,290    | 58.0%  | 758   | 23.04% | 794   | 24.1% | 37  | 1.1% | 1,496 | 45.5%      | 27  | 0.8%    | 211 | 6.4%   | 146 | 4.4%     | 50  | 1.5%           | 2,563 | 77.9% | 1,526 | 46.4% | 856   | 26.0% |
| 合 計       | 52,132 | 18,344    | 10,703   | 20.5%  | 1,906 | 17.81% | 1,870 | 17.5% | 268 | 2.5% | 4,574 | 42.7%      | 117 | 1.1%    | 559 | 5.2%   | 431 | 4.0%     | 180 | 1.7%           | 7,654 | 71.5% | 4,765 | 44.5% | 2,732 | 25.5% |
| (再掲)40～74 | 30,336 | 13,557    | 10,104   | 33.3%  | 1,871 | 18.52% | 1,823 | 18.0% | 258 | 2.6% | 4,443 | 44.0%      | 115 | 1.1%    | 546 | 5.4%   | 426 | 4.2%     | 177 | 1.8%           | 7,507 | 74.3% | 4,606 | 45.6% | 2,626 | 26.0% |
| (再掲)65～74 | 9,849  | 6,459     | 5,277    | 53.6%  | 1,168 | 22.13% | 1,161 | 22.0% | 83  | 1.6% | 2,414 | 45.7%      | 46  | 0.9%    | 326 | 6.2%   | 251 | 4.8%     | 93  | 1.8%           | 4,135 | 78.4% | 2,466 | 46.7% | 1,366 | 25.9% |

## ◆女性

平成24年5月

| 年代        | 国保加入者数 | 1ヶ月の受診実人数 | 生活習慣病対象者 | 大血管障害  |       |       |       | 人工透析  |     | 糖尿病  |       | (再掲)糖尿病併合症 |    |         |     |        |     |          |     | 糖尿病以外の血管を痛める因子 |       |       |       |       |     |      |
|-----------|--------|-----------|----------|--------|-------|-------|-------|-------|-----|------|-------|------------|----|---------|-----|--------|-----|----------|-----|----------------|-------|-------|-------|-------|-----|------|
|           |        |           |          | 虚血性心疾患 |       | 脳血管疾患 |       |       |     |      |       | インスリン療法    |    | 糖尿病性網膜症 |     | 糖尿病性腎症 |     | 糖尿病性神経障害 |     | 高血圧症           |       | 高脂血症  |       | 高尿酸血症 |     |      |
|           |        |           |          | 数      | 割合    | 数     | 割合    | 数     | 割合  | 数    | 割合    | 数          | 割合 | 数       | 割合  | 数      | 割合  | 数        | 割合  | 数              | 割合    | 数     | 割合    |       |     |      |
| 20歳代以下    | 14,617 | 3,946     | 237      | 1.6%   | 6     | 2.5%  | 10    | 4.2%  | 1   | 0.4% | 51    | 21.5%      | 2  | 0.8%    | 4   | 1.7%   | 2   | 0.8%     | 0   | 0.0%           | 25    | 10.5% | 33    | 13.9% | 6   | 2.5% |
| 30歳代      | 6,061  | 1,789     | 323      | 5.3%   | 18    | 5.6%  | 20    | 6.2%  | 2   | 0.6% | 99    | 30.7%      | 2  | 0.6%    | 1   | 0.3%   | 1   | 0.3%     | 0   | 0.0%           | 57    | 17.6% | 69    | 21.4% | 16  | 5.0% |
| 40歳代      | 6,652  | 2,133     | 699      | 10.5%  | 39    | 5.6%  | 55    | 7.9%  | 14  | 2.0% | 204   | 29.2%      | 5  | 0.7%    | 12  | 1.7%   | 6   | 0.9%     | 3   | 0.4%           | 299   | 42.8% | 252   | 36.1% | 34  | 4.9% |
| 50歳代      | 7,464  | 3,003     | 1,583    | 21.2%  | 133   | 8.4%  | 132   | 8.3%  | 29  | 1.8% | 477   | 30.1%      | 14 | 0.9%    | 59  | 3.7%   | 32  | 2.0%     | 9   | 0.6%           | 1,023 | 64.6% | 732   | 46.2% | 92  | 5.8% |
| 60歳代      | 11,467 | 6,489     | 4,455    | 38.9%  | 572   | 12.8% | 537   | 12.1% | 68  | 1.5% | 1,657 | 37.2%      | 22 | 0.5%    | 213 | 4.8%   | 127 | 2.9%     | 58  | 1.3%           | 3,016 | 67.7% | 2,524 | 56.7% | 275 | 6.2% |
| 70～74歳    | 7,101  | 5,236     | 4,081    | 57.5%  | 681   | 16.7% | 719   | 17.6% | 29  | 0.7% | 1,504 | 36.9%      | 21 | 0.5%    | 239 | 5.9%   | 98  | 2.4%     | 69  | 1.7%           | 2,931 | 71.8% | 2,469 | 60.5% | 302 | 7.4% |
| 合 計       | 53,362 | 22,596    | 11,378   | 21.3%  | 1,449 | 12.7% | 1,473 | 12.9% | 143 | 1.3% | 3,992 | 35.1%      | 66 | 0.6%    | 528 | 4.6%   | 266 | 2.3%     | 139 | 1.2%           | 7,351 | 64.6% | 6,079 | 53.4% | 725 | 6.4% |
| (再掲)40～74 | 32,684 | 16,861    | 10,818   | 33.1%  | 1,425 | 13.2% | 1,443 | 13.3% | 140 | 1.3% | 3,842 | 35.5%      | 62 | 0.6%    | 523 | 4.8%   | 263 | 2.4%     | 139 | 1.3%           | 7,269 | 67.2% | 5,977 | 55.3% | 703 | 6.5% |
| (再掲)65～74 | 12,305 | 8,476     | 6,401    | 52.0%  | 1,012 | 15.8% | 1,032 | 16.1% | 56  | 0.9% | 2,406 | 37.6%      | 31 | 0.5%    | 358 | 5.6%   | 171 | 2.7%     | 101 | 1.6%           | 4,540 | 70.9% | 3,829 | 59.8% | 451 | 7.0% |

## ◆全体

平成24年5月

| 年代        | 国保加入者数  | 1ヶ月の受診実人数 | 生活習慣病対象者 |       | 大血管障害  |       |       |       | 人工透析 |      | 糖尿病   |       | (再掲)糖尿病併合症 |      |         |      |        |      |          |      | 糖尿病以外の血管を痛める因子 |       |        |       |       |       |
|-----------|---------|-----------|----------|-------|--------|-------|-------|-------|------|------|-------|-------|------------|------|---------|------|--------|------|----------|------|----------------|-------|--------|-------|-------|-------|
|           |         |           |          |       | 虚血性心疾患 |       | 脳血管疾患 |       |      |      |       |       | インスリン療法    |      | 糖尿病性網膜症 |      | 糖尿病性腎症 |      | 糖尿病性神経障害 |      | 高血圧症           |       | 高脂血症   |       | 高尿酸血症 |       |
|           |         |           | 数        | 割合    | 数      | 割合    | 数     | 割合    | 数    | 割合   | 数     | 割合    | 数          | 割合   | 数       | 割合   | 数      | 割合   | 数        | 割合   | 数              | 割合    |        |       |       |       |
| 20歳代以下    | 29,649  | 7,525     | 482      | 1.6%  | 22     | 4.6%  | 29    | 6.0%  | 5    | 1.0% | 84    | 17.4% | 3          | 0.6% | 6       | 1.2% | 2      | 0.4% | 1        | 0.2% | 49             | 10.2% | 58     | 12.0% | 30    | 6.2%  |
| 30歳代      | 12,825  | 2,997     | 677      | 5.3%  | 37     | 5.5%  | 48    | 7.1%  | 8    | 1.2% | 197   | 29.1% | 3          | 0.4% | 12      | 1.8% | 6      | 0.9% | 2        | 0.3% | 180            | 26.6% | 203    | 30.0% | 98    | 14.5% |
| 40歳代      | 14,032  | 3,957     | 1,685    | 12.0% | 136    | 8.1%  | 136   | 8.1%  | 43   | 2.6% | 591   | 35.1% | 19         | 1.1% | 52      | 3.1% | 36     | 2.1% | 14       | 0.8% | 830            | 49.3% | 681    | 40.4% | 283   | 16.8% |
| 50歳代      | 15,040  | 5,645     | 3,430    | 22.8% | 386    | 11.3% | 385   | 11.2% | 107  | 3.1% | 1,229 | 35.8% | 44         | 1.3% | 132     | 3.8% | 94     | 2.7% | 46       | 1.3% | 2,323          | 67.7% | 1,518  | 44.3% | 618   | 18.0% |
| 60歳代      | 21,175  | 11,591    | 8,436    | 39.8% | 1,335  | 15.8% | 1,232 | 14.6% | 182  | 2.2% | 3,465 | 41.1% | 66         | 0.8% | 435     | 5.2% | 315    | 3.7% | 137      | 1.6% | 6,129          | 72.7% | 4,389  | 52.0% | 1,270 | 15.1% |
| 70～74歳    | 12,773  | 9,225     | 7,371    | 57.7% | 1,439  | 19.5% | 1,513 | 20.5% | 66   | 0.9% | 3,000 | 40.7% | 48         | 0.7% | 450     | 6.1% | 244    | 3.3% | 119      | 1.6% | 5,494          | 74.5% | 3,995  | 54.2% | 1,158 | 15.7% |
| 合 計       | 105,494 | 40,940    | 22,081   | 20.9% | 3,355  | 15.2% | 3,343 | 15.1% | 411  | 1.9% | 8,566 | 38.8% | 183        | 0.8% | 1,087   | 4.9% | 697    | 3.2% | 319      | 1.4% | 15,005         | 68.0% | 10,844 | 49.1% | 3,457 | 15.7% |
| (再掲)40～74 | 63,020  | 30,418    | 20,922   | 33.2% | 3,296  | 15.8% | 3,266 | 15.6% | 398  | 1.9% | 8,285 | 39.6% | 177        | 0.8% | 1,069   | 5.1% | 689    | 3.3% | 316      | 1.5% | 14,776         | 70.6% | 10,583 | 50.6% | 3,329 | 15.9% |
| (再掲)65～74 | 22,154  | 14,935    | 11,678   | 52.7% | 2,180  | 18.7% | 2,193 | 18.8% | 139  | 1.2% | 4,820 | 41.3% | 77         | 0.7% | 684     | 5.9% | 422    | 3.6% | 194      | 1.7% | 8,675          | 74.3% | 6,295  | 53.9% | 1,817 | 15.6% |

※年度内到達年齢で集計している為、70～74の行には75歳も含まれています。

保健事業ネット

# ■糖尿病の分析（様式３－２）

◆男性

平成24年5月

| 年代        | 国保加入者数 | 1ヶ月の受診実人数 | 糖尿病   |        | (再掲) 糖尿病合併症 |       |         |        |        |        |          |       | 人工透析 |       | 大血管障害  |        |       |        | 糖尿病以外の血管を痛める因子 |        |       |        |       |        |
|-----------|--------|-----------|-------|--------|-------------|-------|---------|--------|--------|--------|----------|-------|------|-------|--------|--------|-------|--------|----------------|--------|-------|--------|-------|--------|
|           |        |           |       |        | インスリン療法     |       | 糖尿病性網膜症 |        | 糖尿病性腎症 |        | 糖尿病性神経障害 |       |      |       | 虚血性心疾患 |        | 脳血管疾患 |        | 高血圧症           |        | 高脂血症  |        | 高尿酸血症 |        |
|           |        |           | 数     | 割合     | 数           | 割合    | 数       | 割合     | 数      | 割合     | 数        | 割合    | 数    | 割合    | 数      | 割合     | 数     | 割合     | 数              | 割合     | 数     | 割合     |       |        |
| 20歳代以下    | 15,032 | 3,579     | 33    | 0.22%  | 1           | 3.03% | 1       | 3.03%  | 0      | 0.00%  | 1        | 3.03% | 0    | 0.00% | 1      | 3.03%  | 1     | 3.03%  | 3              | 9.09%  | 11    | 33.33% | 2     | 6.06%  |
| 30歳代      | 6,764  | 1,208     | 98    | 1.45%  | 1           | 1.02% | 10      | 10.20% | 5      | 5.10%  | 2        | 2.04% | 3    | 3.06% | 8      | 8.16%  | 6     | 6.12%  | 39             | 39.80% | 47    | 47.96% | 23    | 23.47% |
| 40歳代      | 7,380  | 1,824     | 387   | 5.24%  | 14          | 3.62% | 34      | 8.79%  | 30     | 7.75%  | 11       | 2.84% | 15   | 3.88% | 59     | 15.25% | 33    | 8.53%  | 208            | 53.75% | 224   | 57.88% | 89    | 23.00% |
| 50歳代      | 7,576  | 2,642     | 752   | 9.93%  | 30          | 3.99% | 61      | 8.11%  | 59     | 7.85%  | 36       | 4.79% | 40   | 5.32% | 151    | 20.08% | 96    | 12.77% | 514            | 68.35% | 417   | 55.45% | 222   | 29.52% |
| 60歳代      | 9,708  | 5,102     | 1,808 | 18.62% | 44          | 2.43% | 184     | 10.18% | 184    | 10.18% | 77       | 4.26% | 67   | 3.71% | 473    | 26.16% | 348   | 19.25% | 1,398          | 77.32% | 1,077 | 59.57% | 482   | 26.66% |
| 70～74歳    | 5,672  | 3,989     | 1,496 | 26.38% | 27          | 1.80% | 147     | 9.83%  | 140    | 9.36%  | 49       | 3.28% | 27   | 1.80% | 464    | 31.02% | 409   | 27.34% | 1,185          | 79.21% | 851   | 56.89% | 430   | 28.74% |
| 合計        | 52,132 | 18,344    | 4,574 | 8.77%  | 117         | 2.56% | 437     | 9.55%  | 418    | 9.14%  | 176      | 3.85% | 152  | 3.32% | 1,156  | 25.27% | 893   | 19.52% | 3,347          | 73.17% | 2,627 | 57.43% | 1,248 | 27.28% |
| (再掲)40～74 | 30,336 | 13,557    | 4,443 | 14.65% | 115         | 2.59% | 426     | 9.59%  | 413    | 9.30%  | 173      | 3.89% | 149  | 3.35% | 1,147  | 25.82% | 886   | 19.94% | 3,305          | 74.39% | 2,569 | 57.82% | 1,223 | 27.53% |
| (再掲)65～74 | 9,849  | 6,459     | 2,414 | 24.51% | 46          | 1.91% | 241     | 9.98%  | 243    | 10.07% | 91       | 3.77% | 54   | 2.24% | 726    | 30.07% | 589   | 24.40% | 1,905          | 78.91% | 1,400 | 58.00% | 690   | 28.58% |

◆女性

平成24年5月

| 年代        | 国保加入者数 | 1ヶ月の受診実人数 | 糖尿病   |        | (再掲) 糖尿病合併症 |       |         |       |        |       |          |       | 人工透析 |       | 大血管障害  |        |       |        | 糖尿病以外の血管を痛める因子 |        |       |        |       |        |
|-----------|--------|-----------|-------|--------|-------------|-------|---------|-------|--------|-------|----------|-------|------|-------|--------|--------|-------|--------|----------------|--------|-------|--------|-------|--------|
|           |        |           |       |        | インスリン療法     |       | 糖尿病性網膜症 |       | 糖尿病性腎症 |       | 糖尿病性神経障害 |       |      |       | 虚血性心疾患 |        | 脳血管疾患 |        | 高血圧症           |        | 高脂血症  |        | 高尿酸血症 |        |
|           |        |           | 数     | 割合     | 数           | 割合    | 数       | 割合    | 数      | 割合    | 数        | 割合    | 数    | 割合    | 数      | 割合     | 数     | 割合     | 数              | 割合     | 数     | 割合     |       |        |
| 20歳代以下    | 14,617 | 3,946     | 51    | 0.35%  | 1           | 1.96% | 3       | 5.88% | 2      | 3.92% | 0        | 0.00% | 0    | 0.00% | 1      | 1.96%  | 0     | 0.00%  | 5              | 9.80%  | 12    | 23.53% | 2     | 3.92%  |
| 30歳代      | 6,061  | 1,789     | 99    | 1.63%  | 2           | 2.02% | 1       | 1.01% | 1      | 1.01% | 0        | 0.00% | 0    | 0.00% | 2      | 2.02%  | 0     | 0.00%  | 11             | 11.11% | 33    | 33.33% | 8     | 8.08%  |
| 40歳代      | 6,652  | 2,133     | 204   | 3.07%  | 4           | 1.96% | 11      | 5.39% | 6      | 2.94% | 3        | 1.47% | 3    | 1.47% | 16     | 7.84%  | 9     | 4.41%  | 76             | 37.25% | 93    | 45.59% | 10    | 4.90%  |
| 50歳代      | 7,464  | 3,003     | 477   | 6.39%  | 14          | 2.94% | 40      | 8.39% | 32     | 6.71% | 9        | 1.89% | 11   | 2.31% | 52     | 10.90% | 51    | 10.69% | 291            | 61.01% | 291   | 61.01% | 42    | 8.81%  |
| 60歳代      | 11,467 | 6,489     | 1,657 | 14.45% | 21          | 1.27% | 148     | 8.93% | 125    | 7.54% | 58       | 3.50% | 34   | 2.05% | 280    | 16.90% | 189   | 11.41% | 1,142          | 68.92% | 1,125 | 67.89% | 155   | 9.35%  |
| 70～74歳    | 7,101  | 5,236     | 1,504 | 21.18% | 20          | 1.33% | 142     | 9.44% | 98     | 6.52% | 66       | 4.39% | 12   | 0.80% | 341    | 22.67% | 327   | 21.74% | 1,137          | 75.60% | 1,073 | 71.34% | 170   | 11.30% |
| 合計        | 53,362 | 22,596    | 3,992 | 7.48%  | 62          | 1.55% | 345     | 8.64% | 264    | 6.61% | 136      | 3.41% | 60   | 1.50% | 692    | 17.33% | 576   | 14.43% | 2,662          | 66.68% | 2,627 | 65.81% | 387   | 9.69%  |
| (再掲)40～74 | 32,684 | 16,861    | 3,842 | 11.75% | 59          | 1.54% | 341     | 8.88% | 261    | 6.79% | 136      | 3.54% | 60   | 1.56% | 689    | 17.93% | 576   | 14.99% | 2,646          | 68.87% | 2,582 | 67.20% | 377   | 9.81%  |
| (再掲)65～74 | 12,305 | 8,476     | 2,406 | 19.55% | 30          | 1.25% | 223     | 9.27% | 170    | 7.07% | 98       | 4.07% | 31   | 1.29% | 514    | 21.36% | 448   | 18.62% | 1,776          | 73.82% | 1,703 | 70.78% | 254   | 10.56% |

◆全体

平成24年5月

| 年代        | 国保加入者数  | 1ヶ月の受診実人数 | 糖尿病   |        | (再掲) 糖尿病合併症 |       |         |       |        |       |          |       | 人工透析 |       | 大血管障害  |        |       |        | 糖尿病以外の血管を痛める因子 |        |       |        |       |        |
|-----------|---------|-----------|-------|--------|-------------|-------|---------|-------|--------|-------|----------|-------|------|-------|--------|--------|-------|--------|----------------|--------|-------|--------|-------|--------|
|           |         |           |       |        | インスリン療法     |       | 糖尿病性網膜症 |       | 糖尿病性腎症 |       | 糖尿病性神経障害 |       |      |       | 虚血性心疾患 |        | 脳血管疾患 |        | 高血圧症           |        | 高脂血症  |        | 高尿酸血症 |        |
|           |         |           | 数     | 割合     | 数           | 割合    | 数       | 割合    | 数      | 割合    | 数        | 割合    | 数    | 割合    | 数      | 割合     | 数     | 割合     | 数              | 割合     | 数     | 割合     |       |        |
| 20歳代以下    | 29,649  | 7,525     | 84    | 0.28%  | 2           | 2.38% | 4       | 4.76% | 2      | 2.38% | 1        | 1.19% | 0    | 0.00% | 2      | 2.38%  | 1     | 1.19%  | 8              | 9.52%  | 23    | 27.38% | 4     | 4.76%  |
| 30歳代      | 12,825  | 2,997     | 197   | 1.54%  | 3           | 1.52% | 11      | 5.58% | 6      | 3.05% | 2        | 1.02% | 3    | 1.52% | 10     | 5.08%  | 6     | 3.05%  | 50             | 25.38% | 80    | 40.61% | 31    | 15.74% |
| 40歳代      | 14,032  | 3,957     | 591   | 4.21%  | 18          | 3.05% | 45      | 7.61% | 36     | 6.09% | 14       | 2.37% | 18   | 3.05% | 75     | 12.69% | 42    | 7.11%  | 284            | 48.05% | 317   | 53.64% | 99    | 16.75% |
| 50歳代      | 15,040  | 5,645     | 1,229 | 8.17%  | 44          | 3.58% | 101     | 8.22% | 91     | 7.40% | 45       | 3.66% | 51   | 4.15% | 203    | 16.52% | 147   | 11.96% | 805            | 65.50% | 708   | 57.61% | 264   | 21.48% |
| 60歳代      | 21,175  | 11,591    | 3,465 | 16.36% | 65          | 1.88% | 332     | 9.58% | 309    | 8.92% | 135      | 3.90% | 101  | 2.91% | 753    | 21.73% | 537   | 15.50% | 2,540          | 73.30% | 2,202 | 63.55% | 637   | 18.38% |
| 70～74歳    | 12,773  | 9,225     | 3,000 | 23.49% | 47          | 1.57% | 289     | 9.63% | 238    | 7.93% | 115      | 3.83% | 39   | 1.30% | 805    | 26.83% | 736   | 24.53% | 2,322          | 77.40% | 1,924 | 64.13% | 600   | 20.00% |
| 合計        | 105,494 | 40,940    | 8,566 | 8.12%  | 179         | 2.09% | 782     | 9.13% | 682    | 7.96% | 312      | 3.64% | 212  | 2.47% | 1,848  | 21.57% | 1,469 | 17.15% | 6,009          | 70.15% | 5,254 | 61.34% | 1,635 | 19.09% |
| (再掲)40～74 | 63,020  | 30,418    | 8,285 | 13.15% | 174         | 2.10% | 767     | 9.26% | 674    | 8.14% | 309      | 3.73% | 209  | 2.52% | 1,836  | 22.16% | 1,462 | 17.65% | 5,951          | 71.83% | 5,151 | 62.17% | 1,600 | 19.31% |
| (再掲)65～74 | 22,154  | 14,935    | 4,820 | 21.76% | 76          | 1.58% | 464     | 9.63% | 413    | 8.57% | 189      | 3.92% | 85   | 1.76% | 1,240  | 25.73% | 1,037 | 21.51% | 3,681          | 76.37% | 3,103 | 64.38% | 944   | 19.59% |

※年度内到達年齢で集計している為、70～74の行には75歳も含まれています。

保健事業ネット

# ■高血圧の分析（様式３－３）

## ◆男性

平成24年5月

| 年代        | 国保加入者数 | 1ヶ月の受診実人数 | 高血圧症  |       | 大血管障害  |       |       |       | 人工透析 |       | 糖尿病   |       | (再掲)糖尿病合併症 |      |         |       |        |       |          |      | 糖尿病以外の血管を痛める因子 |       |       |       |
|-----------|--------|-----------|-------|-------|--------|-------|-------|-------|------|-------|-------|-------|------------|------|---------|-------|--------|-------|----------|------|----------------|-------|-------|-------|
|           |        |           |       |       | 虚血性心疾患 |       | 脳血管疾患 |       |      |       |       |       | インスリン療法    |      | 糖尿病性網膜症 |       | 糖尿病性腎症 |       | 糖尿病性神経障害 |      | 高脂血症           |       | 高尿酸血症 |       |
|           |        |           | 数     | 割合    | 数      | 割合    | 数     | 割合    | 数    | 割合    | 数     | 割合    | 数          | 割合   | 数       | 割合    | 数      | 割合    | 数        | 割合   | 数              | 割合    |       |       |
| 20歳代      | 15,032 | 3,579     | 24    | 0.2%  | 2      | 8.3%  | 1     | 4.2%  | 3    | 12.5% | 3     | 12.5% | 0          | 0.0% | 0       | 0.0%  | 0      | 0.0%  | 0        | 0.0% | 3              | 12.5% | 7     | 29.2% |
| 30歳代      | 6,764  | 1,208     | 123   | 1.8%  | 11     | 8.9%  | 11    | 8.9%  | 6    | 4.9%  | 39    | 31.7% | 0          | 0.0% | 7       | 17.9% | 3      | 7.7%  | 2        | 5.1% | 56             | 45.5% | 32    | 26.0% |
| 40歳代      | 7,380  | 1,824     | 531   | 7.2%  | 71     | 13.4% | 53    | 10.0% | 25   | 4.7%  | 208   | 39.2% | 4          | 1.9% | 22      | 10.6% | 20     | 9.6%  | 7        | 3.4% | 242            | 45.6% | 143   | 26.9% |
| 50歳代      | 7,576  | 2,642     | 1,300 | 17.2% | 202    | 15.5% | 204   | 15.7% | 73   | 5.6%  | 514   | 39.5% | 22         | 4.3% | 53      | 10.3% | 52     | 10.1% | 29       | 5.6% | 581            | 44.7% | 381   | 29.3% |
| 60歳代      | 9,708  | 5,102     | 3,112 | 32.1% | 647    | 20.8% | 575   | 18.5% | 110  | 3.5%  | 1,397 | 44.9% | 28         | 2.0% | 166     | 11.9% | 157    | 11.2% | 64       | 4.6% | 1,492          | 47.9% | 822   | 26.4% |
| 70～74歳    | 5,672  | 3,989     | 2,563 | 45.2% | 638    | 24.9% | 646   | 25.2% | 36   | 1.4%  | 1,185 | 46.2% | 17         | 1.4% | 161     | 13.6% | 124    | 10.5% | 36       | 3.0% | 1,223          | 47.7% | 717   | 28.0% |
| 合計        | 52,132 | 18,344    | 7,653 | 14.7% | 1,571  | 20.5% | 1,490 | 19.5% | 253  | 3.3%  | 3,346 | 43.7% | 71         | 2.1% | 409     | 12.2% | 356    | 10.6% | 138      | 4.1% | 3,597          | 47.0% | 2,102 | 27.5% |
| (再掲)40～74 | 30,336 | 13,557    | 7,506 | 24.7% | 1,558  | 20.8% | 1,478 | 19.7% | 244  | 3.3%  | 3,304 | 44.0% | 71         | 2.1% | 402     | 12.2% | 353    | 10.7% | 136      | 4.1% | 3,538          | 47.1% | 2,063 | 27.5% |
| (再掲)65～74 | 9,849  | 6,459     | 4,134 | 42.0% | 980    | 23.7% | 949   | 23.0% | 81   | 2.0%  | 1,904 | 46.1% | 27         | 1.4% | 249     | 13.1% | 213    | 11.2% | 72       | 3.8% | 1,981          | 47.9% | 1,149 | 27.8% |

## ◆女性

平成24年5月

| 年代        | 国保加入者数 | 1ヶ月の受診実人数 | 高血圧症  |       | 大血管障害  |       |       |       | 人工透析 |      | 糖尿病   |       | (再掲)糖尿病合併症 |       |         |       |        |      |          |      | 糖尿病以外の血管を痛める因子 |       |       |       |
|-----------|--------|-----------|-------|-------|--------|-------|-------|-------|------|------|-------|-------|------------|-------|---------|-------|--------|------|----------|------|----------------|-------|-------|-------|
|           |        |           |       |       | 虚血性心疾患 |       | 脳血管疾患 |       |      |      |       |       | インスリン療法    |       | 糖尿病性網膜症 |       | 糖尿病性腎症 |      | 糖尿病性神経障害 |      | 高脂血症           |       | 高尿酸血症 |       |
|           |        |           | 数     | 割合    | 数      | 割合    | 数     | 割合    | 数    | 割合   | 数     | 割合    | 数          | 割合    | 数       | 割合    | 数      | 割合   | 数        | 割合   | 数              | 割合    | 数     | 割合    |
| 20歳代      | 14,617 | 3,946     | 25    | 0.2%  | 0      | 0.0%  | 1     | 4.0%  | 1    | 4.0% | 5     | 20.0% | 1          | 20.0% | 1       | 20.0% | 0      | 0.0% | 0        | 0.0% | 6              | 24.0% | 3     | 12.0% |
| 30歳代      | 6,061  | 1,789     | 57    | 0.9%  | 6      | 10.5% | 5     | 8.8%  | 2    | 3.5% | 11    | 19.3% | 1          | 9.1%  | 1       | 9.1%  | 0      | 0.0% | 0        | 0.0% | 11             | 19.3% | 4     | 7.0%  |
| 40歳代      | 6,652  | 2,133     | 299   | 4.5%  | 19     | 6.4%  | 19    | 6.4%  | 13   | 4.3% | 76    | 25.4% | 0          | 0.0%  | 4       | 5.3%  | 4      | 5.3% | 2        | 2.6% | 100            | 33.4% | 20    | 6.7%  |
| 50歳代      | 7,464  | 3,003     | 1,023 | 13.7% | 93     | 9.1%  | 89    | 8.7%  | 26   | 2.5% | 291   | 28.4% | 8          | 2.7%  | 33      | 11.3% | 20     | 6.9% | 6        | 2.1% | 458            | 44.8% | 69    | 6.7%  |
| 60歳代      | 11,467 | 6,489     | 3,015 | 26.3% | 408    | 13.5% | 393   | 13.0% | 64   | 2.1% | 1,142 | 37.9% | 15         | 1.3%  | 136     | 11.9% | 95     | 8.3% | 43       | 3.8% | 1,700          | 56.4% | 224   | 7.4%  |
| 70～74歳    | 7,101  | 5,236     | 2,931 | 41.3% | 524    | 17.9% | 553   | 18.9% | 29   | 1.0% | 1,137 | 38.8% | 13         | 1.1%  | 168     | 14.8% | 78     | 6.9% | 54       | 4.7% | 1,797          | 61.3% | 258   | 8.8%  |
| 合計        | 53,362 | 22,596    | 7,350 | 13.8% | 1,050  | 14.3% | 1,060 | 14.4% | 135  | 1.8% | 2,662 | 36.2% | 38         | 1.4%  | 343     | 12.9% | 197    | 7.4% | 105      | 3.9% | 4,072          | 55.4% | 578   | 7.9%  |
| (再掲)40～74 | 32,684 | 16,861    | 7,268 | 22.2% | 1,044  | 14.4% | 1,054 | 14.5% | 132  | 1.8% | 2,646 | 36.4% | 36         | 1.4%  | 341     | 12.9% | 197    | 7.4% | 105      | 4.0% | 4,055          | 55.8% | 571   | 7.9%  |
| (再掲)65～74 | 12,305 | 8,476     | 4,539 | 36.9% | 764    | 16.8% | 783   | 17.3% | 56   | 1.2% | 1,776 | 39.1% | 18         | 1.0%  | 245     | 13.8% | 132    | 7.4% | 76       | 4.3% | 2,732          | 60.2% | 378   | 8.3%  |

## ◆全体

平成24年5月

| 年代        | 国保加入者数  | 1ヶ月の受診実人数 | 高血圧症   |       | 大血管障害  |       |       |       | 人工透析 |      | 糖尿病   |       | (再掲)糖尿病合併症 |       |         |       |        |      |          |      | 糖尿病以外の血管を痛める因子 |       |       |       |
|-----------|---------|-----------|--------|-------|--------|-------|-------|-------|------|------|-------|-------|------------|-------|---------|-------|--------|------|----------|------|----------------|-------|-------|-------|
|           |         |           |        |       | 虚血性心疾患 |       | 脳血管疾患 |       |      |      |       |       | インスリン療法    |       | 糖尿病性網膜症 |       | 糖尿病性腎症 |      | 糖尿病性神経障害 |      | 高脂血症           |       | 高尿酸血症 |       |
|           |         |           | 数      | 割合    | 数      | 割合    | 数     | 割合    | 数    | 割合   | 数     | 割合    | 数          | 割合    | 数       | 割合    | 数      | 割合   | 数        | 割合   | 数              | 割合    |       |       |
| 20歳代      | 29,649  | 7,525     | 49     | 0.2%  | 2      | 4.1%  | 2     | 4.1%  | 4    | 8.2% | 8     | 16.3% | 1          | 12.5% | 1       | 12.5% | 0      | 0.0% | 0        | 0.0% | 9              | 18.4% | 10    | 20.4% |
| 30歳代      | 12,825  | 2,997     | 180    | 1.4%  | 17     | 9.4%  | 16    | 8.9%  | 8    | 4.4% | 50    | 27.8% | 1          | 2.0%  | 8       | 16.0% | 3      | 6.0% | 2        | 4.0% | 67             | 37.2% | 36    | 20.0% |
| 40歳代      | 14,032  | 3,957     | 830    | 5.9%  | 90     | 10.8% | 72    | 8.7%  | 38   | 4.6% | 284   | 34.2% | 4          | 1.4%  | 26      | 9.2%  | 24     | 8.5% | 9        | 3.2% | 342            | 41.2% | 163   | 19.6% |
| 50歳代      | 15,040  | 5,645     | 2,323  | 15.4% | 295    | 12.7% | 293   | 12.6% | 99   | 4.3% | 805   | 34.7% | 30         | 3.7%  | 86      | 10.7% | 72     | 8.9% | 35       | 4.3% | 1,039          | 44.7% | 450   | 19.4% |
| 60歳代      | 21,175  | 11,591    | 6,127  | 28.9% | 1,055  | 17.2% | 968   | 15.8% | 174  | 2.8% | 2,539 | 41.4% | 43         | 1.7%  | 302     | 11.9% | 252    | 9.9% | 107      | 4.2% | 3,192          | 52.1% | 1,046 | 17.1% |
| 70～74歳    | 12,773  | 9,225     | 5,494  | 43.0% | 1,162  | 21.2% | 1,199 | 21.8% | 65   | 1.2% | 2,322 | 42.3% | 30         | 1.3%  | 329     | 14.2% | 202    | 8.7% | 90       | 3.9% | 3,020          | 55.0% | 975   | 17.7% |
| 合計        | 105,494 | 40,940    | 15,003 | 14.2% | 2,621  | 17.5% | 2,550 | 17.0% | 388  | 2.6% | 6,008 | 40.0% | 109        | 1.8%  | 752     | 12.5% | 553    | 9.2% | 243      | 4.0% | 7,669          | 51.1% | 2,680 | 17.9% |
| (再掲)40～74 | 63,020  | 30,418    | 14,774 | 23.4% | 2,602  | 17.6% | 2,532 | 17.1% | 376  | 2.5% | 5,950 | 40.3% | 107        | 1.8%  | 743     | 12.5% | 550    | 9.2% | 241      | 4.1% | 7,593          | 51.4% | 2,634 | 17.8% |
| (再掲)65～74 | 22,154  | 14,935    | 8,673  | 39.1% | 1,744  | 20.1% | 1,732 | 20.0% | 137  | 1.6% | 3,680 | 42.4% | 45         | 1.2%  | 494     | 13.4% | 345    | 9.4% | 148      | 4.0% | 4,713          | 54.3% | 1,527 | 17.6% |

※年度内到達年齢で集計している為、70～74の行には75歳も含まれています。

保健事業ネット

# ■高脂血症の分析（様式３－４）

## ◆男性

平成24年5月

| 年代        | 国保加入者数 | 1ヶ月の受診実人数 | 高脂血症  |       | 大血管障害  |       |       |       | 人工透析 |      | 糖尿病   |       | (再掲)糖尿病合併症 |      |         |       |        |       |          |      | 糖尿病以外の血管を痛める因子 |       |       |       |
|-----------|--------|-----------|-------|-------|--------|-------|-------|-------|------|------|-------|-------|------------|------|---------|-------|--------|-------|----------|------|----------------|-------|-------|-------|
|           |        |           |       |       | 虚血性心疾患 |       | 脳血管疾患 |       |      |      |       |       | インスリン療法    |      | 糖尿病性網膜症 |       | 糖尿病性腎症 |       | 糖尿病性神経障害 |      | 高血圧症           |       | 高尿酸血症 |       |
|           |        |           | 数     | 割合    | 数      | 割合    | 数     | 割合    | 数    | 割合   | 数     | 割合    | 数          | 割合   | 数       | 割合    | 数      | 割合    | 数        | 割合   | 数              | 割合    |       |       |
| 20歳代      | 15,032 | 3,579     | 25    | 0.2%  | 2      | 8.0%  | 0     | 0.0%  | 0    | 0.0% | 11    | 44.0% | 0          | 0.0% | 0       | 0.0%  | 0      | 0.0%  | 0        | 0.0% | 3              | 12.0% | 4     | 16.0% |
| 30歳代      | 6,764  | 1,208     | 134   | 2.0%  | 8      | 6.0%  | 10    | 7.5%  | 2    | 1.5% | 47    | 35.1% | 0          | 0.0% | 4       | 8.5%  | 3      | 6.4%  | 1        | 2.1% | 56             | 41.8% | 38    | 28.4% |
| 40歳代      | 7,380  | 1,824     | 429   | 5.8%  | 53     | 12.4% | 37    | 8.6%  | 7    | 1.6% | 224   | 52.2% | 7          | 3.1% | 23      | 10.3% | 23     | 10.3% | 9        | 4.0% | 242            | 56.4% | 138   | 32.2% |
| 50歳代      | 7,576  | 2,642     | 786   | 10.4% | 152    | 19.3% | 118   | 15.0% | 25   | 3.2% | 417   | 53.1% | 14         | 3.4% | 36      | 8.6%  | 37     | 8.9%  | 23       | 5.5% | 581            | 73.9% | 289   | 36.8% |
| 60歳代      | 9,708  | 5,102     | 1,865 | 19.2% | 513    | 27.5% | 362   | 19.4% | 43   | 2.3% | 1,077 | 57.7% | 23         | 2.1% | 106     | 9.8%  | 130    | 12.1% | 53       | 4.9% | 1,493          | 80.1% | 602   | 32.3% |
| 70～74歳    | 5,672  | 3,989     | 1,526 | 26.9% | 470    | 30.8% | 395   | 25.9% | 9    | 0.6% | 851   | 55.8% | 14         | 1.6% | 102     | 12.0% | 83     | 9.8%  | 33       | 3.9% | 1,223          | 80.1% | 533   | 34.9% |
| 合計        | 52,132 | 18,344    | 4,765 | 9.1%  | 1,198  | 25.1% | 922   | 19.3% | 86   | 1.8% | 2,627 | 55.1% | 58         | 2.2% | 271     | 10.3% | 276    | 10.5% | 119      | 4.5% | 3,598          | 75.5% | 1,604 | 33.7% |
| (再掲)40～74 | 30,336 | 13,557    | 4,606 | 15.2% | 1,188  | 25.8% | 912   | 19.8% | 84   | 1.8% | 2,569 | 55.8% | 58         | 2.3% | 267     | 10.4% | 273    | 10.6% | 118      | 4.6% | 3,539          | 76.8% | 1,562 | 33.9% |
| (再掲)65～74 | 9,849  | 6,459     | 2,466 | 25.0% | 751    | 30.5% | 589   | 23.9% | 28   | 1.1% | 1,400 | 56.8% | 25         | 1.8% | 154     | 11.0% | 150    | 10.7% | 62       | 4.4% | 1,982          | 80.4% | 841   | 34.1% |

## ◆女性

平成24年5月

| 年代        | 国保加入者数 | 1ヶ月の受診実人数 | 高脂血症  |       | 大血管障害  |       |       |       | 人工透析 |      | 糖尿病   |       | (再掲)糖尿病合併症 |      |         |       |        |      |          |      | 糖尿病以外の血管を痛める因子 |       |       |       |
|-----------|--------|-----------|-------|-------|--------|-------|-------|-------|------|------|-------|-------|------------|------|---------|-------|--------|------|----------|------|----------------|-------|-------|-------|
|           |        |           |       |       | 虚血性心疾患 |       | 脳血管疾患 |       |      |      |       |       | インスリン療法    |      | 糖尿病性網膜症 |       | 糖尿病性腎症 |      | 糖尿病性神経障害 |      | 高血圧症           |       | 高尿酸血症 |       |
|           |        |           | 数     | 割合    | 数      | 割合    | 数     | 割合    | 数    | 割合   | 数     | 割合    | 数          | 割合   | 数       | 割合    | 数      | 割合   | 数        | 割合   | 数              | 割合    |       |       |
| 20歳代      | 14,617 | 3,946     | 33    | 0.2%  | 0      | 0.0%  | 1     | 3.0%  | 0    | 0.0% | 12    | 36.4% | 0          | 0.0% | 0       | 0.0%  | 0      | 0.0% | 0        | 0.0% | 6              | 18.2% | 3     | 9.1%  |
| 30歳代      | 6,061  | 1,789     | 69    | 1.1%  | 5      | 7.2%  | 1     | 1.4%  | 0    | 0.0% | 33    | 47.8% | 2          | 6.1% | 1       | 3.0%  | 0      | 0.0% | 0        | 0.0% | 11             | 15.9% | 7     | 10.1% |
| 40歳代      | 6,652  | 2,133     | 252   | 3.8%  | 19     | 7.5%  | 16    | 6.3%  | 2    | 0.8% | 93    | 36.9% | 2          | 2.2% | 3       | 3.2%  | 3      | 3.2% | 2        | 2.2% | 100            | 39.7% | 22    | 8.7%  |
| 50歳代      | 7,464  | 3,003     | 732   | 9.8%  | 63     | 8.6%  | 51    | 7.0%  | 8    | 1.1% | 291   | 39.8% | 11         | 3.8% | 32      | 11.0% | 23     | 7.9% | 4        | 1.4% | 458            | 62.6% | 69    | 9.4%  |
| 60歳代      | 11,467 | 6,489     | 2,524 | 22.0% | 379    | 15.0% | 297   | 11.8% | 24   | 1.0% | 1,125 | 44.6% | 16         | 1.4% | 123     | 10.9% | 94     | 8.4% | 46       | 4.1% | 1,700          | 67.4% | 204   | 8.1%  |
| 70～74歳    | 7,101  | 5,236     | 2,469 | 34.8% | 482    | 19.5% | 465   | 18.8% | 12   | 0.5% | 1,073 | 43.5% | 12         | 1.1% | 134     | 12.5% | 69     | 6.4% | 61       | 5.7% | 1,797          | 72.8% | 243   | 9.8%  |
| 合計        | 53,362 | 22,596    | 6,079 | 11.4% | 948    | 15.6% | 831   | 13.7% | 46   | 0.8% | 2,627 | 43.2% | 43         | 1.6% | 293     | 11.2% | 189    | 7.2% | 113      | 4.3% | 4,072          | 67.0% | 548   | 9.0%  |
| (再掲)40～74 | 32,684 | 16,861    | 5,977 | 18.3% | 943    | 15.8% | 829   | 13.9% | 46   | 0.8% | 2,582 | 43.2% | 41         | 1.6% | 292     | 11.3% | 189    | 7.3% | 113      | 4.4% | 4,055          | 67.8% | 538   | 9.0%  |
| (再掲)65～74 | 12,305 | 8,476     | 3,829 | 31.1% | 701    | 18.3% | 650   | 17.0% | 22   | 0.6% | 1,703 | 44.5% | 18         | 1.1% | 206     | 12.1% | 119    | 7.0% | 88       | 5.2% | 2,732          | 71.4% | 351   | 9.2%  |

## ◆全体

平成24年5月

| 年代        | 国保加入者数  | 1ヶ月の受診実人数 | 高脂血症   |       | 大血管障害  |       |       |       | 人工透析 |      | 糖尿病   |       | (再掲)糖尿病合併症 |      |         |       |        |       |          |      | 糖尿病以外の血管を痛める因子 |       |       |       |
|-----------|---------|-----------|--------|-------|--------|-------|-------|-------|------|------|-------|-------|------------|------|---------|-------|--------|-------|----------|------|----------------|-------|-------|-------|
|           |         |           |        |       | 虚血性心疾患 |       | 脳血管疾患 |       |      |      |       |       | インスリン療法    |      | 糖尿病性網膜症 |       | 糖尿病性腎症 |       | 糖尿病性神経障害 |      | 高血圧症           |       | 高尿酸血症 |       |
|           |         |           | 数      | 割合    | 数      | 割合    | 数     | 割合    | 数    | 割合   | 数     | 割合    | 数          | 割合   | 数       | 割合    | 数      | 割合    | 数        | 割合   | 数              | 割合    |       |       |
| 20歳代      | 29,649  | 7,525     | 58     | 0.2%  | 2      | 3.4%  | 1     | 1.7%  | 0    | 0.0% | 23    | 39.7% | 0          | 0.0% | 0       | 0.0%  | 0      | 0.0%  | 0        | 0.0% | 9              | 15.5% | 7     | 12.1% |
| 30歳代      | 12,825  | 2,997     | 203    | 1.6%  | 13     | 6.4%  | 11    | 5.4%  | 2    | 1.0% | 80    | 39.4% | 2          | 2.5% | 5       | 6.3%  | 3      | 3.8%  | 1        | 1.3% | 67             | 33.0% | 45    | 22.2% |
| 40歳代      | 14,032  | 3,957     | 681    | 4.9%  | 72     | 10.6% | 53    | 7.8%  | 9    | 1.3% | 317   | 46.5% | 9          | 2.8% | 26      | 8.2%  | 26     | 8.2%  | 11       | 3.5% | 342            | 50.2% | 160   | 23.5% |
| 50歳代      | 15,040  | 5,645     | 1,518  | 10.1% | 215    | 14.2% | 169   | 11.1% | 33   | 2.2% | 708   | 46.6% | 25         | 3.5% | 68      | 9.6%  | 60     | 8.5%  | 27       | 3.8% | 1,039          | 68.4% | 358   | 23.6% |
| 60歳代      | 21,175  | 11,591    | 4,389  | 20.7% | 892    | 20.3% | 659   | 15.0% | 67   | 1.5% | 2,202 | 50.2% | 39         | 1.8% | 229     | 10.4% | 224    | 10.2% | 99       | 4.5% | 3,193          | 72.8% | 806   | 18.4% |
| 70～74歳    | 12,773  | 9,225     | 3,995  | 31.3% | 952    | 23.8% | 860   | 21.5% | 21   | 0.5% | 1,924 | 48.2% | 26         | 1.4% | 236     | 12.3% | 152    | 7.9%  | 94       | 4.9% | 3,020          | 75.6% | 776   | 19.4% |
| 合計        | 105,494 | 40,940    | 10,844 | 10.3% | 2,146  | 19.8% | 1,753 | 16.2% | 132  | 1.2% | 5,254 | 48.5% | 101        | 1.9% | 564     | 10.7% | 465    | 8.9%  | 232      | 4.4% | 7,670          | 70.7% | 2,152 | 19.8% |
| (再掲)40～74 | 63,020  | 30,418    | 10,583 | 16.8% | 2,131  | 20.1% | 1,741 | 16.5% | 130  | 1.2% | 5,151 | 48.7% | 99         | 1.9% | 559     | 10.9% | 462    | 9.0%  | 231      | 4.5% | 7,594          | 71.8% | 2,100 | 19.8% |
| (再掲)65～74 | 22,154  | 14,935    | 6,295  | 28.4% | 1,452  | 23.1% | 1,239 | 19.7% | 50   | 0.8% | 3,103 | 49.3% | 43         | 1.4% | 360     | 11.6% | 269    | 8.7%  | 150      | 4.8% | 4,714          | 74.9% | 1,192 | 18.9% |

※年度内到達年齢で集計している為、70～74の行には75歳も含まれています。

保健事業ネット



# ■虚血性心疾患の分析（様式３－５）

◆男性

平成24年5月

| 年代        | 国保加入者数 | 1ヶ月の受診実人数 | 虚血性心疾患 |       | 大血管疾患 |       | 人工透析 |       | 糖尿病   |       | (再掲)糖尿病合併症 |      |         |       |        |       |          |      | 糖尿病以外の血管を痛める因子 |       |       |       |       |       |
|-----------|--------|-----------|--------|-------|-------|-------|------|-------|-------|-------|------------|------|---------|-------|--------|-------|----------|------|----------------|-------|-------|-------|-------|-------|
|           |        |           |        |       | 脳血管疾患 |       |      |       |       |       | インスリン療法    |      | 糖尿病性網膜症 |       | 糖尿病性腎症 |       | 糖尿病性神経障害 |      | 高血圧症           |       | 高脂血症  |       | 高尿酸血症 |       |
|           |        |           | 数      | 割合    | 数     | 割合    | 数    | 割合    | 数     | 割合    | 数          | 割合   | 数       | 割合    | 数      | 割合    | 数        | 割合   | 数              | 割合    | 数     | 割合    |       |       |
| 20歳代      | 15,032 | 3,579     | 16     | 0.1%  | 0     | 0.0%  | 0    | 0.0%  | 1     | 6.3%  | 0          | 0.0% | 0       | 0.0%  | 0      | 0.0%  | 0        | 0.0% | 2              | 12.5% | 2     | 12.5% | 3     | 18.8% |
| 30歳代      | 6,764  | 1,208     | 19     | 0.3%  | 1     | 5.3%  | 3    | 15.8% | 8     | 42.1% | 0          | 0.0% | 1       | 12.5% | 1      | 12.5% | 0        | 0.0% | 11             | 57.9% | 8     | 42.1% | 5     | 26.3% |
| 40歳代      | 7,380  | 1,824     | 97     | 1.3%  | 18    | 18.6% | 13   | 13.4% | 59    | 60.8% | 2          | 3.4% | 8       | 13.6% | 4      | 6.8%  | 0        | 0.0% | 71             | 73.2% | 53    | 54.6% | 22    | 22.7% |
| 50歳代      | 7,576  | 2,642     | 253    | 3.3%  | 53    | 20.9% | 42   | 16.6% | 151   | 59.7% | 7          | 4.6% | 24      | 15.9% | 19     | 12.6% | 7        | 4.6% | 202            | 79.8% | 152   | 60.1% | 87    | 34.4% |
| 60歳代      | 9,708  | 5,102     | 763    | 7.9%  | 185   | 24.2% | 65   | 8.5%  | 473   | 62.0% | 22         | 4.7% | 64      | 13.5% | 71     | 15.0% | 30       | 6.3% | 648            | 84.9% | 513   | 67.2% | 224   | 29.4% |
| 70～74歳    | 5,672  | 3,989     | 758    | 13.4% | 241   | 31.8% | 20   | 2.6%  | 464   | 61.2% | 10         | 2.2% | 52      | 11.2% | 54     | 11.6% | 24       | 5.2% | 638            | 84.2% | 470   | 62.0% | 233   | 30.7% |
| 合計        | 52,132 | 18,344    | 1,906  | 3.7%  | 498   | 26.1% | 143  | 7.5%  | 1,156 | 60.7% | 41         | 3.5% | 149     | 12.9% | 149    | 12.9% | 61       | 5.3% | 1,572          | 82.5% | 1,198 | 62.9% | 574   | 30.1% |
| (再掲)40～74 | 30,336 | 13,557    | 1,871  | 6.2%  | 497   | 26.6% | 140  | 7.5%  | 1,147 | 61.3% | 41         | 3.6% | 148     | 12.9% | 148    | 12.9% | 61       | 5.3% | 1,559          | 83.3% | 1,188 | 63.5% | 566   | 30.3% |
| (再掲)65～74 | 9,849  | 6,459     | 1,168  | 11.9% | 348   | 29.8% | 46   | 3.9%  | 726   | 62.2% | 21         | 2.9% | 86      | 11.8% | 91     | 12.5% | 36       | 5.0% | 981            | 84.0% | 751   | 64.3% | 360   | 30.8% |

◆女性

平成24年5月

| 年代        | 国保加入者数 | 1ヶ月の受診実人数 | 虚血性心疾患 |      | 大血管疾患 |       | 人工透析 |       | 糖尿病 |       | (再掲)糖尿病合併症 |      |         |       |        |       |          |      | 糖尿病以外の血管を痛める因子 |       |      |       |       |       |
|-----------|--------|-----------|--------|------|-------|-------|------|-------|-----|-------|------------|------|---------|-------|--------|-------|----------|------|----------------|-------|------|-------|-------|-------|
|           |        |           |        |      | 脳血管疾患 |       |      |       |     |       | インスリン療法    |      | 糖尿病性網膜症 |       | 糖尿病性腎症 |       | 糖尿病性神経障害 |      | 高血圧症           |       | 高脂血症 |       | 高尿酸血症 |       |
|           |        |           | 数      | 割合   | 数     | 割合    | 数    | 割合    | 数   | 割合    | 数          | 割合   | 数       | 割合    | 数      | 割合    | 数        | 割合   | 数              | 割合    | 数    | 割合    |       |       |
| 20歳代      | 14,617 | 3,946     | 6      | 0.0% | 0     | 0.0%  | 0    | 0.0%  | 1   | 16.7% | 0          | 0.0% | 0       | 0.0%  | 0      | 0.0%  | 0        | 0.0% | 0              | 0.0%  | 0    | 0.0%  | 0     | 0.0%  |
| 30歳代      | 6,061  | 1,789     | 18     | 0.3% | 2     | 11.1% | 2    | 11.1% | 2   | 11.1% | 0          | 0.0% | 0       | 0.0%  | 0      | 0.0%  | 0        | 0.0% | 6              | 33.3% | 5    | 27.8% | 1     | 5.6%  |
| 40歳代      | 6,652  | 2,133     | 39     | 0.6% | 5     | 12.8% | 2    | 5.1%  | 16  | 41.0% | 0          | 0.0% | 1       | 6.3%  | 0      | 0.0%  | 0        | 0.0% | 19             | 48.7% | 19   | 48.7% | 3     | 7.7%  |
| 50歳代      | 7,464  | 3,003     | 133    | 1.8% | 19    | 14.3% | 7    | 5.3%  | 52  | 39.1% | 2          | 3.8% | 5       | 9.6%  | 4      | 7.7%  | 3        | 5.8% | 93             | 69.9% | 63   | 47.4% | 14    | 10.5% |
| 60歳代      | 11,467 | 6,489     | 572    | 5.0% | 103   | 18.0% | 31   | 5.4%  | 280 | 49.0% | 6          | 2.1% | 40      | 14.3% | 32     | 11.4% | 13       | 4.6% | 408            | 71.3% | 379  | 66.3% | 71    | 12.4% |
| 70～74歳    | 7,101  | 5,236     | 681    | 9.6% | 149   | 21.9% | 14   | 2.1%  | 341 | 50.1% | 5          | 1.5% | 41      | 12.0% | 30     | 8.8%  | 28       | 8.2% | 524            | 76.9% | 482  | 70.8% | 84    | 12.3% |
| 合計        | 53,362 | 22,596    | 1,449  | 2.7% | 278   | 19.2% | 56   | 3.9%  | 692 | 47.8% | 13         | 1.9% | 87      | 12.6% | 66     | 9.5%  | 44       | 6.4% | 1,050          | 72.5% | 948  | 65.4% | 173   | 11.9% |
| (再掲)40～74 | 32,684 | 16,861    | 1,425  | 4.4% | 276   | 19.4% | 54   | 3.8%  | 689 | 48.4% | 13         | 1.9% | 87      | 12.6% | 66     | 9.6%  | 44       | 6.4% | 1,044          | 73.3% | 943  | 66.2% | 172   | 12.1% |
| (再掲)65～74 | 12,305 | 8,476     | 1,012  | 8.2% | 217   | 21.4% | 30   | 3.0%  | 514 | 50.8% | 7          | 1.4% | 68      | 13.2% | 46     | 8.9%  | 37       | 7.2% | 764            | 75.5% | 701  | 69.3% | 122   | 12.1% |

◆全体

平成24年5月

| 年代        | 国保加入者数  | 1ヶ月の受診実人数 | 虚血性心疾患 |       | 大血管疾患 |       | 人工透析 |       | 糖尿病   |       | (再掲)糖尿病合併症 |      |         |       |        |       |          |      | 糖尿病以外の血管を痛める因子 |       |       |       |       |       |
|-----------|---------|-----------|--------|-------|-------|-------|------|-------|-------|-------|------------|------|---------|-------|--------|-------|----------|------|----------------|-------|-------|-------|-------|-------|
|           |         |           |        |       | 脳血管疾患 |       |      |       |       |       | インスリン療法    |      | 糖尿病性網膜症 |       | 糖尿病性腎症 |       | 糖尿病性神経障害 |      | 高血圧症           |       | 高脂血症  |       | 高尿酸血症 |       |
|           |         |           | 数      | 割合    | 数     | 割合    | 数    | 割合    | 数     | 割合    | 数          | 割合   | 数       | 割合    | 数      | 割合    | 数        | 割合   | 数              | 割合    | 数     | 割合    |       |       |
| 20歳代      | 29,649  | 7,525     | 22     | 0.1%  | 0     | 0.0%  | 0    | 0.0%  | 2     | 9.1%  | 0          | 0.0% | 0       | 0.0%  | 0      | 0.0%  | 0        | 0.0% | 2              | 9.1%  | 2     | 9.1%  | 3     | 13.6% |
| 30歳代      | 12,825  | 2,997     | 37     | 0.3%  | 3     | 8.1%  | 5    | 13.5% | 10    | 27.0% | 0          | 0.0% | 1       | 10.0% | 1      | 10.0% | 0        | 0.0% | 17             | 45.9% | 13    | 35.1% | 6     | 16.2% |
| 40歳代      | 14,032  | 3,957     | 136    | 1.0%  | 23    | 16.9% | 15   | 11.0% | 75    | 55.1% | 2          | 2.7% | 9       | 12.0% | 4      | 5.3%  | 0        | 0.0% | 90             | 66.2% | 72    | 52.9% | 25    | 18.4% |
| 50歳代      | 15,040  | 5,645     | 386    | 2.6%  | 72    | 18.7% | 49   | 12.7% | 203   | 52.6% | 9          | 4.4% | 29      | 14.3% | 23     | 11.3% | 10       | 4.9% | 295            | 76.4% | 215   | 55.7% | 101   | 26.2% |
| 60歳代      | 21,175  | 11,591    | 1,335  | 6.3%  | 288   | 21.6% | 96   | 7.2%  | 753   | 56.4% | 28         | 3.7% | 104     | 13.8% | 103    | 13.7% | 43       | 5.7% | 1,056          | 79.1% | 892   | 66.8% | 295   | 22.1% |
| 70～74歳    | 12,773  | 9,225     | 1,439  | 11.3% | 390   | 27.1% | 34   | 2.4%  | 805   | 55.9% | 15         | 1.9% | 93      | 11.6% | 84     | 10.4% | 52       | 6.5% | 1,162          | 80.8% | 952   | 66.2% | 317   | 22.0% |
| 合計        | 105,494 | 40,940    | 3,355  | 3.2%  | 776   | 23.1% | 199  | 5.9%  | 1,848 | 55.1% | 54         | 2.9% | 236     | 12.8% | 215    | 11.6% | 105      | 5.7% | 2,622          | 78.2% | 2,146 | 64.0% | 747   | 22.3% |
| (再掲)40～74 | 63,020  | 30,418    | 3,296  | 5.2%  | 773   | 23.5% | 194  | 5.9%  | 1,836 | 55.7% | 54         | 2.9% | 235     | 12.8% | 214    | 11.7% | 105      | 5.7% | 2,603          | 79.0% | 2,131 | 64.7% | 738   | 22.4% |
| (再掲)65～74 | 22,154  | 14,935    | 2,180  | 9.8%  | 565   | 25.9% | 76   | 3.5%  | 1,240 | 56.9% | 28         | 2.3% | 154     | 12.4% | 137    | 11.0% | 73       | 5.9% | 1,745          | 80.0% | 1,452 | 66.6% | 482   | 22.1% |

※年度内到達年齢で集計している為、70～74の行には75歳も含まれています。

保健事業ネット

■脳血管疾患の分析（様式３－６）

◆男性

平成24年5月

| 年代        | 国保加入者数 | 1ヶ月の受診実人数 | 脳血管疾患 |       | 大血管疾患  |       | 人工透析 |      | 糖尿病 |       | (再掲)糖尿病合併症 |      |         |       |        |       |          |      | 糖尿病以外の血管を痛める因子 |       |      |       |       |       |
|-----------|--------|-----------|-------|-------|--------|-------|------|------|-----|-------|------------|------|---------|-------|--------|-------|----------|------|----------------|-------|------|-------|-------|-------|
|           |        |           |       |       | 虚血性心疾患 |       |      |      |     |       | インスリン療法    |      | 糖尿病性網膜症 |       | 糖尿病性腎症 |       | 糖尿病性神経障害 |      | 高血圧症           |       | 高脂血症 |       | 高尿酸血症 |       |
|           |        |           | 数     | 割合    | 数      | 割合    | 数    | 割合   | 数   | 割合    | 数          | 割合   | 数       | 割合    | 数      | 割合    | 数        | 割合   | 数              | 割合    | 数    | 割合    |       |       |
| 20歳代      | 15,032 | 3,579     | 19    | 0.1%  | 0      | 0.0%  | 1    | 5.3% | 1   | 5.3%  | 0          | 0.0% | 0       | 0.0%  | 0      | 0.0%  | 0        | 0.0% | 1              | 5.3%  | 0    | 0.0%  | 1     | 5.3%  |
| 30歳代      | 6,764  | 1,208     | 28    | 0.4%  | 1      | 3.6%  | 1    | 3.6% | 6   | 21.4% | 0          | 0.0% | 3       | 50.0% | 1      | 16.7% | 0        | 0.0% | 11             | 39.3% | 10   | 35.7% | 4     | 14.3% |
| 40歳代      | 7,380  | 1,824     | 81    | 1.1%  | 18     | 22.2% | 8    | 9.9% | 33  | 40.7% | 0          | 0.0% | 5       | 15.2% | 2      | 6.1%  | 1        | 3.0% | 53             | 65.4% | 37   | 45.7% | 24    | 29.6% |
| 50歳代      | 7,576  | 2,642     | 253   | 3.3%  | 53     | 20.9% | 22   | 8.7% | 96  | 37.9% | 5          | 5.2% | 13      | 13.5% | 8      | 8.3%  | 5        | 5.2% | 204            | 80.6% | 118  | 46.6% | 64    | 25.3% |
| 60歳代      | 9,708  | 5,102     | 695   | 7.2%  | 185    | 26.6% | 41   | 5.9% | 348 | 50.1% | 12         | 3.4% | 45      | 12.9% | 37     | 10.6% | 25       | 7.2% | 575            | 82.7% | 362  | 52.1% | 139   | 20.0% |
| 70～74歳    | 5,672  | 3,989     | 794   | 14.0% | 241    | 30.4% | 10   | 1.3% | 409 | 51.5% | 4          | 1.0% | 49      | 12.0% | 40     | 9.8%  | 14       | 3.4% | 646            | 81.4% | 395  | 49.7% | 192   | 24.2% |
| 合計        | 52,132 | 18,344    | 1,870 | 3.6%  | 498    | 26.6% | 83   | 4.4% | 893 | 47.8% | 21         | 2.4% | 115     | 12.9% | 88     | 9.9%  | 45       | 5.0% | 1,490          | 79.7% | 922  | 49.3% | 424   | 22.7% |
| (再掲)40～74 | 30,336 | 13,557    | 1,823 | 6.0%  | 497    | 27.3% | 81   | 4.4% | 886 | 48.6% | 21         | 2.4% | 112     | 12.6% | 87     | 9.8%  | 45       | 5.1% | 1,478          | 81.1% | 912  | 50.0% | 419   | 23.0% |
| (再掲)65～74 | 9,849  | 6,459     | 1,161 | 11.8% | 348    | 30.0% | 25   | 2.2% | 589 | 50.7% | 10         | 1.7% | 68      | 11.5% | 58     | 9.8%  | 27       | 4.6% | 949            | 81.7% | 589  | 50.7% | 261   | 22.5% |

◆女性

平成24年5月

| 年代        | 国保加入者数 | 1ヶ月の受診実人数 | 脳血管疾患 |       | 大血管疾患  |       | 人工透析 |      | 糖尿病 |       | (再掲)糖尿病合併症 |       |         |       |        |      |          |      | 糖尿病以外の血管を痛める因子 |       |      |       |       |       |
|-----------|--------|-----------|-------|-------|--------|-------|------|------|-----|-------|------------|-------|---------|-------|--------|------|----------|------|----------------|-------|------|-------|-------|-------|
|           |        |           |       |       | 虚血性心疾患 |       |      |      |     |       | インスリン療法    |       | 糖尿病性網膜症 |       | 糖尿病性腎症 |      | 糖尿病性神経障害 |      | 高血圧症           |       | 高脂血症 |       | 高尿酸血症 |       |
|           |        |           | 数     | 割合    | 数      | 割合    | 数    | 割合   | 数   | 割合    | 数          | 割合    | 数       | 割合    | 数      | 割合   | 数        | 割合   | 数              | 割合    | 数    | 割合    |       |       |
| 20歳代      | 14,617 | 3,946     | 10    | 0.1%  | 0      | 0.0%  | 0    | 0.0% | 0   | 0.0%  | 0          | 0.0%  | 0       | 0.0%  | 0      | 0.0% | 0        | 0.0% | 1              | 10.0% | 1    | 10.0% | 1     | 10.0% |
| 30歳代      | 6,061  | 1,789     | 20    | 0.3%  | 2      | 10.0% | 1    | 5.0% | 0   | 0.0%  | 0          | 0.0%  | 0       | 0.0%  | 0      | 0.0% | 0        | 0.0% | 5              | 25.0% | 1    | 5.0%  | 0     | 0.0%  |
| 40歳代      | 6,652  | 2,133     | 55    | 0.8%  | 5      | 9.1%  | 2    | 3.6% | 9   | 16.4% | 1          | 11.1% | 0       | 0.0%  | 0      | 0.0% | 0        | 0.0% | 19             | 34.5% | 16   | 29.1% | 3     | 5.5%  |
| 50歳代      | 7,464  | 3,003     | 132   | 1.8%  | 19     | 14.4% | 6    | 4.5% | 51  | 38.6% | 2          | 3.9%  | 8       | 15.7% | 2      | 3.9% | 1        | 2.0% | 89             | 67.4% | 51   | 38.6% | 3     | 2.3%  |
| 60歳代      | 11,467 | 6,489     | 537   | 4.7%  | 103    | 19.2% | 17   | 3.2% | 189 | 35.2% | 2          | 1.1%  | 34      | 18.0% | 18     | 9.5% | 7        | 3.7% | 393            | 73.2% | 297  | 55.3% | 35    | 6.5%  |
| 70～74歳    | 7,101  | 5,236     | 719   | 10.1% | 149    | 20.7% | 8    | 1.1% | 327 | 45.5% | 5          | 1.5%  | 45      | 13.8% | 29     | 8.9% | 19       | 5.8% | 553            | 76.9% | 465  | 64.7% | 53    | 7.4%  |
| 合計        | 53,362 | 22,596    | 1,473 | 2.8%  | 278    | 18.9% | 34   | 2.3% | 576 | 39.1% | 10         | 1.7%  | 87      | 15.1% | 49     | 8.5% | 27       | 4.7% | 1,060          | 72.0% | 831  | 56.4% | 95    | 6.4%  |
| (再掲)40～74 | 32,684 | 16,861    | 1,443 | 4.4%  | 276    | 19.1% | 33   | 2.3% | 576 | 39.9% | 10         | 1.7%  | 87      | 15.1% | 49     | 8.5% | 27       | 4.7% | 1,054          | 73.0% | 829  | 57.4% | 94    | 6.5%  |
| (再掲)65～74 | 12,305 | 8,476     | 1,032 | 8.4%  | 217    | 21.0% | 18   | 1.7% | 448 | 43.4% | 7          | 1.6%  | 70      | 15.6% | 38     | 8.5% | 23       | 5.1% | 783            | 75.9% | 650  | 63.0% | 76    | 7.4%  |

◆全体

平成24年5月

| 年代        | 国保加入者数  | 1ヶ月の受診実人数 | 脳血管疾患 |       | 大血管疾患  |       | 人工透析 |      | 糖尿病   |       | (再掲)糖尿病合併症 |      |         |       |        |       |          |      | 糖尿病以外の血管を痛める因子 |       |       |       |       |       |
|-----------|---------|-----------|-------|-------|--------|-------|------|------|-------|-------|------------|------|---------|-------|--------|-------|----------|------|----------------|-------|-------|-------|-------|-------|
|           |         |           |       |       | 虚血性心疾患 |       |      |      |       |       | インスリン療法    |      | 糖尿病性網膜症 |       | 糖尿病性腎症 |       | 糖尿病性神経障害 |      | 高血圧症           |       | 高脂血症  |       | 高尿酸血症 |       |
|           |         |           | 数     | 割合    | 数      | 割合    | 数    | 割合   | 数     | 割合    | 数          | 割合   | 数       | 割合    | 数      | 割合    | 数        | 割合   | 数              | 割合    | 数     | 割合    |       |       |
| 20歳代      | 29,649  | 7,525     | 29    | 0.1%  | 0      | 0.0%  | 1    | 3.4% | 1     | 3.4%  | 0          | 0.0% | 0       | 0.0%  | 0      | 0.0%  | 0        | 0.0% | 2              | 6.9%  | 1     | 3.4%  | 2     | 6.9%  |
| 30歳代      | 12,825  | 2,997     | 48    | 0.4%  | 3      | 6.3%  | 2    | 4.2% | 6     | 12.5% | 0          | 0.0% | 3       | 50.0% | 1      | 16.7% | 0        | 0.0% | 16             | 33.3% | 11    | 22.9% | 4     | 8.3%  |
| 40歳代      | 14,032  | 3,957     | 136   | 1.0%  | 23     | 16.9% | 10   | 7.4% | 42    | 30.9% | 1          | 2.4% | 5       | 11.9% | 2      | 4.8%  | 1        | 2.4% | 72             | 52.9% | 53    | 39.0% | 27    | 19.9% |
| 50歳代      | 15,040  | 5,645     | 385   | 2.6%  | 72     | 18.7% | 28   | 7.3% | 147   | 38.2% | 7          | 4.8% | 21      | 14.3% | 10     | 6.8%  | 6        | 4.1% | 293            | 76.1% | 169   | 43.9% | 67    | 17.4% |
| 60歳代      | 21,175  | 11,591    | 1,232 | 5.8%  | 288    | 23.4% | 58   | 4.7% | 537   | 43.6% | 14         | 2.6% | 79      | 14.7% | 55     | 10.2% | 32       | 6.0% | 968            | 78.6% | 659   | 53.5% | 174   | 14.1% |
| 70～74歳    | 12,773  | 9,225     | 1,513 | 11.8% | 390    | 25.8% | 18   | 1.2% | 736   | 48.6% | 9          | 1.2% | 94      | 12.8% | 69     | 9.4%  | 33       | 4.5% | 1,199          | 79.2% | 860   | 56.8% | 245   | 16.2% |
| 合計        | 105,494 | 40,940    | 3,343 | 3.2%  | 776    | 23.2% | 117  | 3.5% | 1,469 | 43.9% | 31         | 2.1% | 202     | 13.8% | 137    | 9.3%  | 72       | 4.9% | 2,550          | 76.3% | 1,753 | 52.4% | 519   | 15.5% |
| (再掲)40～74 | 63,020  | 30,418    | 3,266 | 5.2%  | 773    | 23.7% | 114  | 3.5% | 1,462 | 44.8% | 31         | 2.1% | 199     | 13.6% | 136    | 9.3%  | 72       | 4.9% | 2,532          | 77.5% | 1,741 | 53.3% | 513   | 15.7% |
| (再掲)65～74 | 22,154  | 14,935    | 2,193 | 9.9%  | 565    | 25.8% | 43   | 2.0% | 1,037 | 47.3% | 17         | 1.6% | 138     | 13.3% | 96     | 9.3%  | 50       | 4.8% | 1,732          | 79.0% | 1,239 | 56.5% | 337   | 15.4% |

※年度内到達年齢で集計している為、70～74の行には75歳も含まれています。

保健事業ネット

■人工透析の分析（様式３－７）

◆男性

平成24年5月

| 年代        | 被保険者数  | 1ヶ月の受診実人数 | 人工透析 |      | 大血管疾患  |       |       |       | 糖尿病 |       | (再掲)糖尿病合併症 |        |         |        |        |        |          |        | 糖尿病以外の血管を痛める因子 |        |      |       |       |       |
|-----------|--------|-----------|------|------|--------|-------|-------|-------|-----|-------|------------|--------|---------|--------|--------|--------|----------|--------|----------------|--------|------|-------|-------|-------|
|           |        |           |      |      | 虚血性心疾患 |       | 脳血管疾患 |       |     |       | インスリン療法    |        | 糖尿病性網膜症 |        | 糖尿病性腎症 |        | 糖尿病性神経障害 |        | 高血圧症           |        | 高脂血症 |       | 高尿酸血症 |       |
|           |        |           | 数    | 割合   | 数      | 割合    | 数     | 割合    | 数   | 割合    | 数          | 割合     | 数       | 割合     | 数      | 割合     | 数        | 割合     | 数              | 割合     | 数    | 割合    |       |       |
| 20歳代      | 15,032 | 3,579     | 4    | 0.0% | 0      | 0.0%  | 1     | 25.0% | 0   | 0.0%  | 0          | 0.00%  | 0       | 0.00%  | 0      | 0.00%  | 0        | 0.00%  | 3              | 75.0%  | 0    | 0.0%  | 1     | 25.0% |
| 30歳代      | 6,764  | 1,208     | 6    | 0.1% | 3      | 50.0% | 1     | 16.7% | 3   | 50.0% | 0          | 0.00%  | 1       | 33.33% | 1      | 33.33% | 0        | 0.00%  | 6              | 100.0% | 2    | 33.3% | 2     | 33.3% |
| 40歳代      | 7,380  | 1,824     | 29   | 0.4% | 13     | 44.8% | 8     | 27.6% | 15  | 51.7% | 2          | 13.33% | 7       | 46.67% | 5      | 33.33% | 1        | 6.67%  | 25             | 86.2%  | 7    | 24.1% | 6     | 20.7% |
| 50歳代      | 7,576  | 2,642     | 78   | 1.0% | 42     | 53.8% | 22    | 28.2% | 40  | 51.3% | 6          | 15.00% | 11      | 27.50% | 14     | 35.00% | 4        | 10.00% | 73             | 93.6%  | 25   | 32.1% | 27    | 34.6% |
| 60歳代      | 9,708  | 5,102     | 114  | 1.2% | 65     | 57.0% | 41    | 36.0% | 67  | 58.8% | 5          | 7.46%  | 25      | 37.31% | 31     | 46.27% | 7        | 10.45% | 110            | 96.5%  | 43   | 37.7% | 31    | 27.2% |
| 70～74歳    | 5,672  | 3,989     | 37   | 0.7% | 20     | 54.1% | 10    | 27.0% | 27  | 73.0% | 3          | 11.11% | 7       | 25.93% | 8      | 29.63% | 4        | 14.81% | 36             | 97.3%  | 9    | 24.3% | 18    | 48.6% |
| 合計        | 52,132 | 18,344    | 268  | 0.5% | 143    | 53.4% | 83    | 31.0% | 152 | 56.7% | 16         | 10.53% | 51      | 33.55% | 59     | 38.82% | 16       | 10.53% | 253            | 94.4%  | 86   | 32.1% | 85    | 31.7% |
| (再掲)40～74 | 30,336 | 13,557    | 258  | 0.9% | 140    | 54.3% | 81    | 31.4% | 149 | 57.8% | 16         | 10.74% | 50      | 33.56% | 58     | 38.93% | 16       | 10.74% | 244            | 94.6%  | 84   | 32.6% | 82    | 31.8% |
| (再掲)65～74 | 9,849  | 6,459     | 83   | 0.8% | 46     | 55.4% | 25    | 30.1% | 54  | 65.1% | 4          | 7.41%  | 17      | 31.48% | 23     | 42.59% | 8        | 14.81% | 81             | 97.6%  | 28   | 33.7% | 36    | 43.4% |

◆女性

平成24年5月

| 年代        | 被保険者数  | 1ヶ月の受<br>診実人数 | 人工透析 |      | 大血管疾患      |        |       |       | 糖尿病 |       | (再掲)糖尿病合併症  |        |             |        |            |        |              |        | 糖尿病以外の血管を痛める因子 |        |      |       |       |       |
|-----------|--------|---------------|------|------|------------|--------|-------|-------|-----|-------|-------------|--------|-------------|--------|------------|--------|--------------|--------|----------------|--------|------|-------|-------|-------|
|           |        |               |      |      | 虚血性<br>心疾患 |        | 脳血管疾患 |       |     |       | インスリン<br>療法 |        | 糖尿病性<br>網膜症 |        | 糖尿病性<br>腎症 |        | 糖尿病性<br>神経障害 |        | 高血圧症           |        | 高脂血症 |       | 高尿酸血症 |       |
|           |        |               | 数    | 割合   | 数          | 割合     | 数     | 割合    | 数   | 割合    | 数           | 割合     | 数           | 割合     | 数          | 割合     | 数            | 割合     | 数              | 割合     | 数    | 割合    |       |       |
| 20歳代      | 14,617 | 3,946         | 1    | 0.0% | 0          | 0.0%   | 0     | 0.0%  | 0   | 0.0%  | 0           | 0.00%  | 0           | 0.00%  | 0          | 0.00%  | 0            | 0.00%  | 1              | 100.0% | 0    | 0.0%  | 0     | 0.0%  |
| 30歳代      | 6,061  | 1,789         | 2    | 0.0% | 2          | 100.0% | 1     | 50.0% | 0   | 0.0%  | 0           | 0.00%  | 0           | 0.00%  | 0          | 0.00%  | 0            | 0.00%  | 2              | 100.0% | 0    | 0.0%  | 0     | 0.0%  |
| 40歳代      | 6,652  | 2,133         | 14   | 0.2% | 2          | 14.3%  | 2     | 14.3% | 3   | 21.4% | 1           | 33.33% | 1           | 33.33% | 2          | 66.67% | 0            | 0.00%  | 13             | 92.9%  | 2    | 14.3% | 2     | 14.3% |
| 50歳代      | 7,464  | 3,003         | 29   | 0.4% | 7          | 24.1%  | 6     | 20.7% | 11  | 37.9% | 2           | 18.18% | 2           | 18.18% | 3          | 27.27% | 1            | 9.09%  | 26             | 89.7%  | 8    | 27.6% | 7     | 24.1% |
| 60歳代      | 11,467 | 6,489         | 68   | 0.6% | 31         | 45.6%  | 17    | 25.0% | 34  | 50.0% | 3           | 8.82%  | 13          | 38.24% | 12         | 35.29% | 2            | 5.88%  | 64             | 94.1%  | 24   | 35.3% | 15    | 22.1% |
| 70～74歳    | 7,101  | 5,236         | 29   | 0.4% | 14         | 48.3%  | 8     | 27.6% | 12  | 41.4% | 0           | 0.00%  | 4           | 33.33% | 4          | 33.33% | 3            | 25.00% | 29             | 100.0% | 12   | 41.4% | 8     | 27.6% |
| 合計        | 53,362 | 22,596        | 143  | 0.3% | 56         | 39.2%  | 34    | 23.8% | 60  | 42.0% | 6           | 10.00% | 20          | 33.33% | 21         | 35.00% | 6            | 10.00% | 135            | 94.4%  | 46   | 32.2% | 32    | 22.4% |
| (再掲)40～74 | 32,684 | 16,861        | 140  | 0.4% | 54         | 38.6%  | 33    | 23.6% | 60  | 42.9% | 6           | 10.00% | 20          | 33.33% | 21         | 35.00% | 6            | 10.00% | 132            | 94.3%  | 46   | 32.9% | 32    | 22.9% |
| (再掲)65～74 | 12,305 | 8,476         | 56   | 0.5% | 30         | 53.6%  | 18    | 32.1% | 31  | 55.4% | 0           | 0.00%  | 9           | 29.03% | 9          | 29.03% | 4            | 12.90% | 56             | 100.0% | 22   | 39.3% | 12    | 21.4% |

◆全体

平成24年5月

| 年代        | 被保険者数   | 1ヶ月の受診実人数 | 人工透析 |      | 大血管疾患  |       |       |       | 糖尿病 |       | (再掲)糖尿病合併症 |        |         |        |        |        |          |        | 糖尿病以外の血管を痛める因子 |        |      |       |       |       |
|-----------|---------|-----------|------|------|--------|-------|-------|-------|-----|-------|------------|--------|---------|--------|--------|--------|----------|--------|----------------|--------|------|-------|-------|-------|
|           |         |           |      |      | 虚血性心疾患 |       | 脳血管疾患 |       |     |       | インスリン療法    |        | 糖尿病性網膜症 |        | 糖尿病性腎症 |        | 糖尿病性神経障害 |        | 高血圧症           |        | 高脂血症 |       | 高尿酸血症 |       |
|           |         |           | 数    | 割合   | 数      | 割合    | 数     | 割合    | 数   | 割合    | 数          | 割合     | 数       | 割合     | 数      | 割合     | 数        | 割合     | 数              | 割合     | 数    | 割合    |       |       |
| 20歳代      | 29,649  | 7,525     | 5    | 0.0% | 0      | 0.0%  | 1     | 20.0% | 0   | 0.0%  | 0          | 0.00%  | 0       | 0.00%  | 0      | 0.00%  | 0        | 0.00%  | 4              | 80.0%  | 0    | 0.0%  | 1     | 20.0% |
| 30歳代      | 12,825  | 2,997     | 8    | 0.1% | 5      | 62.5% | 2     | 25.0% | 3   | 37.5% | 0          | 0.00%  | 1       | 33.33% | 1      | 33.33% | 0        | 0.00%  | 8              | 100.0% | 2    | 25.0% | 2     | 25.0% |
| 40歳代      | 14,032  | 3,957     | 43   | 0.3% | 15     | 34.9% | 10    | 23.3% | 18  | 41.9% | 3          | 16.67% | 8       | 44.44% | 7      | 38.89% | 1        | 5.56%  | 38             | 88.4%  | 9    | 20.9% | 8     | 18.6% |
| 50歳代      | 15,040  | 5,645     | 107  | 0.7% | 49     | 45.8% | 28    | 26.2% | 51  | 47.7% | 8          | 15.69% | 13      | 25.49% | 17     | 33.33% | 5        | 9.80%  | 99             | 92.5%  | 33   | 30.8% | 34    | 31.8% |
| 60歳代      | 21,175  | 11,591    | 182  | 0.9% | 96     | 52.7% | 58    | 31.9% | 101 | 55.5% | 8          | 7.92%  | 38      | 37.62% | 43     | 42.57% | 9        | 8.91%  | 174            | 95.6%  | 67   | 36.8% | 46    | 25.3% |
| 70～74歳    | 12,773  | 9,225     | 66   | 0.5% | 34     | 51.5% | 18    | 27.3% | 39  | 59.1% | 3          | 7.69%  | 11      | 28.21% | 12     | 30.77% | 7        | 17.95% | 65             | 98.5%  | 21   | 31.8% | 26    | 39.4% |
| 合計        | 105,494 | 40,940    | 411  | 0.4% | 199    | 48.4% | 117   | 28.5% | 212 | 51.6% | 22         | 10.38% | 71      | 33.49% | 80     | 37.74% | 22       | 10.38% | 388            | 94.4%  | 132  | 32.1% | 117   | 28.5% |
| (再掲)40～74 | 63,020  | 30,418    | 398  | 0.6% | 194    | 48.7% | 114   | 28.6% | 209 | 52.5% | 22         | 10.53% | 70      | 33.49% | 79     | 37.80% | 22       | 10.53% | 376            | 94.5%  | 130  | 32.7% | 114   | 28.6% |
| (再掲)65～74 | 22,154  | 14,935    | 139  | 0.6% | 76     | 54.7% | 43    | 30.9% | 85  | 61.2% | 4          | 4.71%  | 26      | 30.59% | 32     | 37.65% | 12       | 14.12% | 137            | 98.6%  | 50   | 36.0% | 48    | 34.5% |

※年度内到達年齢で集計している為、70～74の行には75歳も含まれています。

保健事業ネット

■健診有所見状況、全体（様式6－2～7）

|        |     | 受診者数   | 摂取エネルギーの過剰         |       |       |       |       |       |       |          |       |       | 血管を傷つける |       |       |        |        |       |        |       |       |       | 内臓脂肪蓄積群以外の<br>動脈硬化要因 |       | 臓器障害  |        |       |       |       |        |       |       |  |     |  |      |  |  |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |  |  |   |
|--------|-----|--------|--------------------|-------|-------|-------|-------|-------|-------|----------|-------|-------|---------|-------|-------|--------|--------|-------|--------|-------|-------|-------|----------------------|-------|-------|--------|-------|-------|-------|--------|-------|-------|--|-----|--|------|--|--|--|---|--|-----|--|---|--|-----|--|---|--|-----|--|---|--|-----|--|---|--|-----|--|--|--|---|
|        |     |        | 腹囲                 |       |       | BMI   |       | 中性脂肪  |       | ALT(GPT) |       | HDL   |         | 空腹時血糖 |       | HbA1c  |        | 尿酸    |        | 収縮期血圧 |       | 拡張期血圧 |                      | LDL   |       | 尿蛋白    |       | GFR   |       |        |       |       |  |     |  |      |  |  |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |  |  |   |
|        |     |        | 男85cm以上<br>女90cm以上 |       |       | 25以上  |       | 150以上 |       | 31以上     |       | 40未満  |         | 実施者   |       | 100以上  |        | 実施者   |        | 5.2以上 |       | 実施者   |                      | 7.0以上 |       | 130以上  |       | 85以上  |       | 120以上  |       | ＋以上   |  | 実施者 |  | 60未満 |  |  |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |  |  |   |
|        |     |        |                    |       |       |       |       |       |       |          |       |       |         |       |       |        |        |       |        |       |       |       |                      |       |       |        |       |       |       |        |       |       |  |     |  |      |  |  |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |  |  |   |
|        |     |        | A                  |       |       | B     |       | B/A   |       | C        |       | C/A   |         | D     |       | D/A    |        | E     |        | E/A   |       | F     |                      | F/A   |       |        |       | G     |       | G/A    |       |       |  | H   |  | H/A  |  |  |  | I |  | I/A |  | J |  | J/A |  | K |  | K/A |  | L |  | L/A |  | M |  | M/A |  |  |  | N |
| 総<br>数 | H20 | 12,493 | 4,900              | 39.2% | 4,623 | 37.0% | 2,908 | 23.3% | 2,047 | 16.4%    | 812   | 6.5%  | 11,564  | 3,056 | 26.4% | 12,485 | 7,343  | 58.8% | 12,486 | 1,610 | 12.9% | 5,920 | 47.4%                | 2,332 | 18.7% | 7,143  | 57.2% | 977   | 7.8%  | 12,488 | 1,833 | 14.7% |  |     |  |      |  |  |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |  |  |   |
|        | H21 | 17,423 | 6,801              | 39.0% | 6,422 | 36.9% | 3,943 | 22.6% | 3,111 | 17.9%    | 1,125 | 6.5%  | 16,255  | 4,556 | 28.0% | 17,397 | 10,155 | 58.4% | 17,396 | 2,422 | 13.9% | 8,095 | 46.5%                | 3,279 | 18.8% | 9,888  | 56.8% | 1,332 | 7.6%  | 17,404 | 2,626 | 15.1% |  |     |  |      |  |  |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |  |  |   |
|        | H22 | 19,069 | 7,684              | 40.3% | 7,226 | 37.9% | 4,400 | 23.1% | 3,475 | 18.2%    | 1,126 | 5.9%  | 17,674  | 4,795 | 27.1% | 19,009 | 11,571 | 60.9% | 19,029 | 2,641 | 13.9% | 8,979 | 47.1%                | 3,697 | 19.4% | 10,739 | 56.3% | 1,387 | 7.3%  | 19,048 | 2,835 | 14.9% |  |     |  |      |  |  |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |  |  |   |
|        | H23 | 19,598 | 7,894              | 40.3% | 7,430 | 37.9% | 4,433 | 22.6% | 3,418 | 17.4%    | 1,189 | 6.1%  | 18,015  | 4,817 | 26.7% | 19,572 | 10,726 | 54.8% | 19,541 | 2,665 | 13.6% | 9,132 | 46.6%                | 3,666 | 18.7% | 11,097 | 56.6% | 1,271 | 6.5%  | 19,549 | 2,855 | 14.6% |  |     |  |      |  |  |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |  |  |   |
| 男<br>性 | H20 | 4,882  | 2,877              | 58.9% | 2,100 | 43.0% | 1,475 | 30.2% | 1,131 | 23.2%    | 561   | 11.5% | 4,530   | 1,640 | 36.2% | 4,881  | 2,829  | 58.0% | 4,880  | 1,301 | 26.7% | 2,574 | 52.7%                | 1,172 | 24.0% | 2,475  | 50.7% | 558   | 11.4% | 4,882  | 964   | 19.7% |  |     |  |      |  |  |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |  |  |   |
|        | H21 | 6,982  | 4,080              | 58.4% | 3,044 | 43.6% | 2,104 | 30.1% | 1,808 | 25.9%    | 816   | 11.7% | 6,537   | 2,483 | 38.0% | 6,973  | 4,059  | 58.2% | 6,974  | 1,924 | 27.6% | 3,559 | 51.0%                | 1,715 | 24.6% | 3,617  | 51.8% | 744   | 10.7% | 6,976  | 1,391 | 19.9% |  |     |  |      |  |  |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |  |  |   |
|        | H22 | 7,865  | 4,729              | 60.1% | 3,499 | 44.5% | 2,435 | 31.0% | 2,090 | 26.6%    | 833   | 10.6% | 7,261   | 2,680 | 36.9% | 7,853  | 4,729  | 60.2% | 7,852  | 2,119 | 27.0% | 4,089 | 52.0%                | 2,022 | 25.7% | 4,041  | 51.4% | 819   | 10.4% | 7,855  | 1,538 | 19.6% |  |     |  |      |  |  |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |  |  |   |
|        | H23 | 8,053  | 4,847              | 60.2% | 3,653 | 45.4% | 2,400 | 29.8% | 2,064 | 25.6%    | 909   | 11.3% | 7,385   | 2,726 | 36.9% | 8,046  | 4,412  | 54.8% | 8,038  | 2,140 | 26.6% | 4,098 | 50.9%                | 2,007 | 24.9% | 4,091  | 50.8% | 759   | 9.4%  | 8,043  | 1,584 | 19.7% |  |     |  |      |  |  |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |  |  |   |
| 女<br>性 | H20 | 7,611  | 2,023              | 26.6% | 2,523 | 33.1% | 1,433 | 18.8% | 916   | 12.0%    | 251   | 3.3%  | 7,024   | 1,416 | 20.2% | 7,604  | 4,514  | 59.4% | 7,606  | 309   | 4.1%  | 3,346 | 44.0%                | 1,160 | 15.2% | 4,668  | 61.3% | 419   | 5.5%  | 7,606  | 869   | 11.4% |  |     |  |      |  |  |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |  |  |   |
|        | H21 | 10,441 | 2,721              | 26.1% | 3,378 | 32.4% | 1,839 | 17.6% | 1,303 | 12.5%    | 309   | 3.0%  | 9,718   | 2,073 | 21.3% | 10,424 | 6,096  | 58.5% | 10,422 | 498   | 4.8%  | 4,536 | 43.4%                | 1,564 | 15.0% | 6,271  | 60.1% | 588   | 5.6%  | 10,428 | 1,235 | 11.8% |  |     |  |      |  |  |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |  |  |   |
|        | H22 | 11,204 | 2,955              | 26.4% | 3,727 | 33.3% | 1,965 | 17.5% | 1,385 | 12.4%    | 293   | 2.6%  | 10,413  | 2,115 | 20.3% | 11,156 | 6,842  | 61.3% | 11,177 | 522   | 4.7%  | 4,890 | 43.6%                | 1,675 | 15.0% | 6,698  | 59.8% | 568   | 5.1%  | 11,193 | 1,297 | 11.6% |  |     |  |      |  |  |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |  |  |   |
|        | H23 | 11,545 | 3,047              | 26.4% | 3,777 | 32.7% | 2,033 | 17.6% | 1,354 | 11.7%    | 280   | 2.4%  | 10,630  | 2,091 | 19.7% | 11,526 | 6,314  | 54.8% | 11,503 | 525   | 4.6%  | 5,034 | 43.6%                | 1,659 | 14.4% | 7,006  | 60.7% | 512   | 4.4%  | 11,506 | 1,271 | 11.0% |  |     |  |      |  |  |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |   |  |     |  |  |  |   |

■メタボリックシンドローム予備群・該当者（様式6－8）

|       | 被保険者数  | 健診受診者  |       |       | 肥満    |       | 有所見の重複状況 |       |               |        |          |        |       |        |       |       |               |        |               |        |       |        |       |        |       |
|-------|--------|--------|-------|-------|-------|-------|----------|-------|---------------|--------|----------|--------|-------|--------|-------|-------|---------------|--------|---------------|--------|-------|--------|-------|--------|-------|
|       |        |        |       |       |       |       | 腹囲のみ     |       | メタボリック<br>予備群 |        | (腹囲+1項目) |        |       |        |       |       | メタボリック<br>該当者 |        | (腹囲+2項目or3項目) |        |       |        |       |        |       |
|       |        |        |       |       | 血糖    |       |          |       |               |        | 血圧       |        | 脂質    |        | 血糖+血圧 |       |               |        | 血糖+脂質         |        | 血圧+脂質 |        | 3項目全て |        |       |
|       |        |        |       |       |       |       |          |       |               |        |          |        |       |        |       |       |               |        |               |        |       |        |       |        |       |
| A     | B      | B/A    | C     | C/B   | D     | D/C   | E        | E/B   | F             | F/(E+) | G        | G/(E+) | H     | H/(E+) | I     | I/B   | J             | J/(E+) | K             | K/(E+) | L     | L/(E+) | M     | M/(E+) |       |
| H20年度 | 55,470 | 12,493 | 22.5% | 4,900 | 39.2% | 760   | 6.1%     | 1,996 | 16.0%         | 109    | 2.6%     | 1,453  | 35.1% | 434    | 10.5% | 2,144 | 17.2%         | 322    | 7.8%          | 95     | 2.3%  | 1,175  | 28.4% | 552    | 13.3% |
| H21年度 | 55,264 | 17,423 | 31.5% | 6,801 | 39.0% | 990   | 5.7%     | 2,695 | 15.5%         | 133    | 2.3%     | 1,966  | 33.8% | 596    | 10.3% | 3,116 | 17.9%         | 492    | 8.5%          | 162    | 2.8%  | 1,658  | 28.5% | 804    | 13.8% |
| H22年度 | 54,819 | 19,069 | 34.8% | 7,684 | 40.3% | 1,074 | 5.6%     | 2,969 | 15.6%         | 153    | 2.3%     | 2,164  | 32.7% | 652    | 9.9%  | 3,641 | 19.1%         | 569    | 8.6%          | 178    | 2.7%  | 1,941  | 29.4% | 953    | 14.4% |
| H23年度 | 54,777 | 19,598 | 35.8% | 7,894 | 40.3% | 1,274 | 6.5%     | 2,944 | 15.0%         | 111    | 1.7%     | 2,164  | 32.7% | 669    | 10.1% | 3,676 | 18.8%         | 512    | 7.7%          | 159    | 2.4%  | 2,017  | 30.5% | 988    | 14.9% |

|        |    |     | 被保険者数  |        |       | 健診受診者 |       |     | 肥満   |       | 有所見の重複状況             |        |      |        |               |        |          |       |       |        |       |        |               |        |               |        |       |  |       |  |       |  |
|--------|----|-----|--------|--------|-------|-------|-------|-----|------|-------|----------------------|--------|------|--------|---------------|--------|----------|-------|-------|--------|-------|--------|---------------|--------|---------------|--------|-------|--|-------|--|-------|--|
|        |    |     |        |        |       |       |       |     |      |       | 男性85cm以上<br>女性90cm以上 |        | 腹囲のみ |        | メタボリック<br>予備群 |        | (腹囲+1項目) |       |       |        |       |        | メタボリック<br>該当者 |        | (腹囲+2項目or3項目) |        |       |  |       |  |       |  |
|        |    |     |        |        |       |       |       |     |      |       |                      |        |      |        |               |        | 血糖       |       | 血圧    |        | 脂質    |        |               |        | 血糖+血圧         |        | 血糖+脂質 |  | 血圧+脂質 |  | 3項目全て |  |
|        |    |     |        |        |       |       |       |     |      |       |                      |        |      |        |               |        |          |       |       |        |       |        |               |        |               |        |       |  |       |  |       |  |
| A      |    |     | B      | B/A    | C     | C/B   | D     | D/C | E    | E/B   | F                    | F/(E+) | G    | G/(E+) | H             | H/(E+) | I        | I/B   | J     | J/(E+) | K     | K/(E+) | L             | L/(E+) | M             | M/(E+) |       |  |       |  |       |  |
| 総数     | 男性 | H20 | 26,577 | 4,882  | 18.4% | 2,877 | 58.9% | 398 | 8.2% | 1,152 | 23.6%                | 73     | 2.9% | 807    | 32.6%         | 272    | 11.0%    | 1,327 | 27.2% | 204    | 8.2%  | 68     | 2.7%          | 692    | 27.9%         | 363    | 14.6% |  |       |  |       |  |
|        |    | H21 | 26,426 | 6,982  | 26.4% | 4,080 | 58.4% | 505 | 7.2% | 1,633 | 23.4%                | 98     | 2.7% | 1,129  | 31.6%         | 406    | 11.4%    | 1,942 | 27.8% | 307    | 8.6%  | 117    | 3.3%          | 990    | 27.7%         | 528    | 14.8% |  |       |  |       |  |
|        |    | H22 | 26,223 | 7,865  | 30.0% | 4,729 | 60.1% | 596 | 7.6% | 1,790 | 22.8%                | 99     | 2.4% | 1,262  | 30.5%         | 429    | 10.4%    | 2,343 | 29.8% | 377    | 9.1%  | 123    | 3.0%          | 1,205  | 29.2%         | 638    | 15.4% |  |       |  |       |  |
|        |    | H23 | 26,287 | 8,053  | 30.6% | 4,847 | 60.2% | 699 | 8.7% | 1,797 | 22.3%                | 74     | 1.8% | 1,292  | 31.1%         | 431    | 10.4%    | 2,351 | 29.2% | 355    | 8.6%  | 109    | 2.6%          | 1,245  | 30.0%         | 642    | 15.5% |  |       |  |       |  |
|        | 女性 | H20 | 28,893 | 7,611  | 26.3% | 2,023 | 26.6% | 362 | 4.8% | 844   | 11.1%                | 36     | 2.2% | 646    | 38.9%         | 162    | 9.8%     | 817   | 10.7% | 118    | 7.1%  | 27     | 1.6%          | 483    | 29.1%         | 189    | 11.4% |  |       |  |       |  |
|        |    | H21 | 28,838 | 10,441 | 36.2% | 2,721 | 26.1% | 485 | 4.6% | 1,062 | 10.2%                | 35     | 1.6% | 837    | 37.4%         | 190    | 8.5%     | 1,174 | 11.2% | 185    | 8.3%  | 45     | 2.0%          | 668    | 29.9%         | 276    | 12.3% |  |       |  |       |  |
|        |    | H22 | 28,596 | 11,204 | 39.2% | 2,955 | 26.4% | 478 | 4.3% | 1,179 | 10.5%                | 54     | 2.2% | 902    | 36.4%         | 223    | 9.0%     | 1,298 | 11.6% | 192    | 7.8%  | 55     | 2.2%          | 736    | 29.7%         | 315    | 12.7% |  |       |  |       |  |
|        |    | H23 | 28,490 | 11,545 | 40.5% | 3,047 | 26.4% | 575 | 5.0% | 1,147 | 9.9%                 | 37     | 1.5% | 872    | 35.3%         | 238    | 9.6%     | 1,325 | 11.5% | 157    | 6.4%  | 50     | 2.0%          | 772    | 31.2%         | 346    | 14.0% |  |       |  |       |  |
| 40564歳 | 男性 | H20 | 17,223 | 2,238  | 13.0% | 1,284 | 57.4% | 199 | 8.9% | 490   | 21.9%                | 34     | 3.1% | 276    | 25.4%         | 180    | 16.6%    | 595   | 26.6% | 69     | 6.4%  | 40     | 3.7%          | 321    | 29.6%         | 165    | 15.2% |  |       |  |       |  |
|        |    | H21 | 17,472 | 3,450  | 19.7% | 1,985 | 57.5% | 288 | 8.3% | 765   | 22.2%                | 50     | 2.9% | 446    | 26.3%         | 269    | 15.9%    | 932   | 27.0% | 121    | 7.1%  | 74     | 4.4%          | 479    | 28.2%         | 258    | 15.2% |  |       |  |       |  |
|        |    | H22 | 17,839 | 4,049  | 22.7% | 2,417 | 59.7% | 379 | 9.4% | 901   | 22.3%                | 54     | 2.6% | 525    | 25.8%         | 322    | 15.8%    | 1,137 | 28.1% | 164    | 8.0%  | 74     | 3.6%          | 606    | 29.7%         | 293    | 14.4% |  |       |  |       |  |
|        |    | H23 | 18,149 | 4,232  | 23.3% | 2,527 | 59.7% | 405 | 9.6% | 942   | 22.3%                | 43     | 2.0% | 581    | 27.4%         | 318    | 15.0%    | 1,180 | 27.9% | 141    | 6.6%  | 73     | 3.4%          | 643    | 30.3%         | 323    | 15.2% |  |       |  |       |  |
|        | 女性 | H20 | 17,577 | 3,795  | 21.6% | 769   | 20.3% | 155 | 4.1% | 319   | 8.4%                 | 24     | 3.9% | 213    | 34.7%         | 82     | 13.4%    | 295   | 7.8%  | 47     | 7.7%  | 15     | 2.4%          | 153    | 24.9%         | 80     | 13.0% |  |       |  |       |  |
|        |    | H21 | 17,595 | 5,238  | 29.8% | 1,027 | 19.6% | 233 | 4.4% | 379   | 7.2%                 | 19     | 2.4% | 275    | 34.6%         | 85     | 10.7%    | 415   | 7.9%  | 70     | 8.8%  | 20     | 2.5%          | 226    | 28.5%         | 99     | 12.5% |  |       |  |       |  |
|        |    | H22 | 17,945 | 5,810  | 32.4% | 1,194 | 20.6% | 263 | 4.5% | 446   | 7.7%                 | 21     | 2.3% | 309    | 33.2%         | 116    | 12.5%    | 485   | 8.3%  | 75     | 8.1%  | 30     | 3.2%          | 256    | 27.5%         | 124    | 13.3% |  |       |  |       |  |
|        |    | H23 | 18,201 | 6,174  | 33.9% | 1,362 | 22.1% | 319 | 5.2% | 500   | 8.1%                 | 23     | 2.2% | 345    | 33.1%         | 132    | 12.7%    | 543   | 8.8%  | 75     | 7.2%  | 36     | 3.5%          | 297    | 28.5%         | 135    | 12.9% |  |       |  |       |  |
| 65574歳 | 男性 | H20 | 9,354  | 2,644  | 28.3% | 1,593 | 60.2% | 199 | 7.5% | 662   | 25.0%                | 39     | 2.8% | 531    | 38.1%         | 92     | 6.6%     | 732   | 27.7% | 135    | 9.7%  | 28     | 2.0%          | 371    | 26.6%         | 198    | 14.2% |  |       |  |       |  |
|        |    | H21 | 8,954  | 3,532  | 39.4% | 2,095 | 59.3% | 217 | 6.1% | 868   | 24.6%                | 48     | 2.6% | 683    | 36.4%         | 137    | 7.3%     | 1,010 | 28.6% | 186    | 9.9%  | 43     | 2.3%          | 511    | 27.2%         | 270    | 14.4% |  |       |  |       |  |
|        |    | H22 | 8,384  | 3,816  | 45.5% | 2,312 | 60.6% | 217 | 5.7% | 889   | 23.3%                | 45     | 2.1% | 737    | 35.2%         | 107    | 5.1%     | 1,206 | 31.6% | 213    | 10.2% | 49     | 2.3%          | 599    | 28.6%         | 345    | 16.5% |  |       |  |       |  |
|        |    | H23 | 8,138  | 3,821  | 47.0% | 2,320 | 60.7% | 294 | 7.7% | 855   | 22.4%                | 31     | 1.5% | 711    | 35.1%         | 113    | 5.6%     | 1,171 | 30.6% | 214    | 10.6% | 36     | 1.8%          | 602    | 29.7%         | 319    | 15.7% |  |       |  |       |  |
|        | 女性 | H20 | 11,316 | 3,816  | 33.7% | 1,254 | 32.9% | 207 | 5.4% | 525   | 13.8%                | 12     | 1.1% | 433    | 41.4%         | 80     | 7.6%     | 522   | 13.7% | 71     | 6.8%  | 12     | 1.1%          | 330    | 31.5%         | 109    | 10.4% |  |       |  |       |  |
|        |    | H21 | 11,243 | 5,203  | 46.3% | 1,694 | 32.6% | 252 | 4.8% | 683   | 13.1%                | 16     | 1.1% | 562    | 39.0%         | 105    | 7.3%     | 759   | 14.6% | 115    | 8.0%  | 25     | 1.7%          | 442    | 30.7%         | 177    | 12.3% |  |       |  |       |  |
|        |    | H22 | 10,651 | 5,394  | 50.6% | 1,761 | 32.6% | 215 | 4.0% | 733   | 13.6%                | 33     | 2.1% | 593    | 38.4%         | 107    | 6.9%     | 813   | 15.1% | 117    | 7.6%  | 25     | 1.6%          | 480    | 31.0%         | 191    | 12.4% |  |       |  |       |  |
|        |    | H23 | 10,289 | 5,371  | 52.2% | 1,685 | 31.4% | 256 | 4.8% | 647   | 12.0%                | 14     | 1.0% | 527    | 36.9%         | 106    | 7.4%     | 782   | 14.6% | 82     | 5.7%  | 14     | 1.0%          | 475    | 33.2%         | 211    | 14.8% |  |       |  |       |  |

■生活習慣病予防のための健診・保健指導実施状況（様式6－10）

|       |  |    | 健診<br>対象者数 | 健診受診者数<br>(健診受診率) |       | 生活習慣病<br>治療なし |       | 生活習慣病<br>治療中 |       |       |      |        |       | 生活習慣病<br>治療中 |       |         |       | 特定保健指導<br>対象者<br>(合計) |       |       |       | 情報提供<br>(合計) |       |        |       |
|-------|--|----|------------|-------------------|-------|---------------|-------|--------------|-------|-------|------|--------|-------|--------------|-------|---------|-------|-----------------------|-------|-------|-------|--------------|-------|--------|-------|
|       |  |    |            |                   |       |               |       | レベル1         |       | レベル2  |      | レベル3   |       | レベル4         |       |         |       |                       |       |       |       |              |       |        |       |
|       |  |    |            |                   |       |               |       | 受診不必要        |       | 積極的支援 |      | 動機づけ支援 |       | 受診必要         |       | コントロール良 |       | コントロール不良              |       |       |       |              |       |        |       |
|       |  |    |            |                   |       |               |       | B            | E     |       | J    |        | N     |              | P     |         | O     |                       | M     |       | I     |              | K     |        | L     |
|       |  | 人数 | 割合         | 人数                | 割合    | 人数            | 割合    | 人数           | 割合    | 人数    | 割合   | 人数     | 割合    | 人数           | 割合    | 人数      | 割合    | 人数                    | 割合    | 人数    | 割合    | 人数           | 割合    |        |       |
| H20年度 |  |    | 55,470     | 12,493            | 22.5% | 7,716         | 61.8% | 3,014        | 24.1% | 661   | 5.3% | 1,672  | 13.4% | 2,369        | 19.0% | 4,777   | 38.2% | 1,635                 | 13.1% | 3,142 | 25.2% | 2,333        | 18.7% | 10,160 | 81.3% |
| H21年度 |  |    | 55,264     | 17,423            | 31.5% | 10,645        | 61.1% | 4,257        | 24.4% | 1,000 | 5.7% | 2,121  | 12.2% | 3,267        | 18.8% | 6,778   | 38.9% | 2,343                 | 13.4% | 4,435 | 25.5% | 3,121        | 17.9% | 14,302 | 82.1% |
| H22年度 |  |    | 54,819     | 19,069            | 34.8% | 11,456        | 60.1% | 4,444        | 23.3% | 1,127 | 5.9% | 2,291  | 12.0% | 3,594        | 18.8% | 7,613   | 39.9% | 2,633                 | 13.8% | 4,980 | 26.1% | 3,418        | 17.9% | 15,651 | 82.1% |
| H23年度 |  |    | 54,777     | 19,598            | 35.8% | 11,251        | 57.4% | 4,394        | 22.4% | 1,068 | 5.4% | 2,153  | 11.0% | 3,636        | 18.6% | 8,347   | 42.6% | 3,044                 | 15.5% | 5,303 | 27.1% | 3,221        | 16.4% | 16,377 | 83.6% |

|                            |        |     | 健診<br>対象者数 | 健診受診者数<br>(健診受診率) |       | 生活習慣病<br>治療なし |       | 生活習慣病<br>治療中 |       |       |       |        |       | 生活習慣病<br>治療中 |       |         |       | 特定保健指導<br>対象者<br>(合計) |       |       |       | 情報提供<br>(合計) |       |        |       |     |    |
|----------------------------|--------|-----|------------|-------------------|-------|---------------|-------|--------------|-------|-------|-------|--------|-------|--------------|-------|---------|-------|-----------------------|-------|-------|-------|--------------|-------|--------|-------|-----|----|
|                            |        |     |            |                   |       |               |       | レベル1         |       | レベル2  |       | レベル3   |       | レベル4         |       |         |       |                       |       |       |       |              |       |        |       |     |    |
|                            |        |     |            |                   |       |               |       | 受診不必要        |       | 積極的支援 |       | 動機づけ支援 |       | 受診必要         |       | コントロール良 |       | コントロール不良              |       |       |       |              |       |        |       |     |    |
|                            |        |     |            |                   |       |               |       | J            |       | N     |       | P      |       | O            |       | M       |       | I                     |       | K     |       | L            |       | P+O    |       | K~M |    |
|                            |        |     |            |                   |       |               |       |              |       | 人数    | 割合    | 人数     | 割合    | 人数           | 割合    | 人数      | 割合    | 人数                    | 割合    | 人数    | 割合    | 人数           | 割合    | 人数     | 割合    | 人数  | 割合 |
| 総<br>数                     | 男<br>性 | H20 | 26,577     | 4,882             | 18.4% | 2,859         | 58.6% | 877          | 18.0% | 488   | 10.0% | 804    | 16.5% | 690          | 14.1% | 2,023   | 41.4% | 651                   | 13.3% | 1,372 | 28.1% | 1,292        | 26.5% | 3,590  | 73.5% |     |    |
|                            |        | H21 | 26,426     | 6,982             | 26.4% | 4,069         | 58.3% | 1,213        | 17.4% | 740   | 10.6% | 1,096  | 15.7% | 1,020        | 14.6% | 2,913   | 41.7% | 919                   | 13.2% | 1,994 | 28.6% | 1,836        | 26.3% | 5,146  | 73.7% |     |    |
|                            |        | H22 | 26,223     | 7,865             | 30.0% | 4,533         | 57.6% | 1,356        | 17.2% | 865   | 11.0% | 1,164  | 14.8% | 1,148        | 14.6% | 3,332   | 42.4% | 1,024                 | 13.0% | 2,308 | 29.3% | 2,029        | 25.8% | 5,836  | 74.2% |     |    |
|                            |        | H23 | 26,287     | 8,053             | 30.6% | 4,353         | 54.1% | 1,319        | 16.4% | 810   | 10.1% | 1,106  | 13.7% | 1,118        | 13.9% | 3,700   | 45.9% | 1,187                 | 14.7% | 2,513 | 31.2% | 1,916        | 23.8% | 6,137  | 76.2% |     |    |
|                            | 女<br>性 | H20 | 28,893     | 7,611             | 26.3% | 4,857         | 63.8% | 2,137        | 28.1% | 173   | 2.3%  | 868    | 11.4% | 1,679        | 22.1% | 2,754   | 36.2% | 984                   | 12.9% | 1,770 | 23.3% | 1,041        | 13.7% | 6,570  | 86.3% |     |    |
|                            |        | H21 | 28,838     | 10,441            | 36.2% | 6,576         | 63.0% | 3,044        | 29.2% | 260   | 2.5%  | 1,025  | 9.8%  | 2,247        | 21.5% | 3,865   | 37.0% | 1,424                 | 13.6% | 2,441 | 23.4% | 1,285        | 12.3% | 9,156  | 87.7% |     |    |
|                            |        | H22 | 28,596     | 11,204            | 39.2% | 6,923         | 61.8% | 3,088        | 27.6% | 262   | 2.3%  | 1,127  | 10.1% | 2,446        | 21.8% | 4,281   | 38.2% | 1,609                 | 14.4% | 2,672 | 23.8% | 1,389        | 12.4% | 9,815  | 87.6% |     |    |
|                            |        | H23 | 28,490     | 11,545            | 40.5% | 6,898         | 59.7% | 3,075        | 26.6% | 258   | 2.2%  | 1,047  | 9.1%  | 2,518        | 21.8% | 4,647   | 40.3% | 1,857                 | 16.1% | 2,790 | 24.2% | 1,305        | 11.3% | 10,240 | 88.7% |     |    |
| 4<br>0<br>~<br>6<br>4<br>歳 | 男<br>性 | H20 | 17,223     | 2,238             | 13.0% | 1,560         | 69.7% | 472          | 21.1% | 488   | 21.8% | 229    | 10.2% | 371          | 16.6% | 678     | 30.3% | 190                   | 8.5%  | 488   | 21.8% | 717          | 32.0% | 1,521  | 68.0% |     |    |
|                            |        | H21 | 17,472     | 3,450             | 19.7% | 2,416         | 70.0% | 732          | 21.2% | 740   | 21.4% | 343    | 9.9%  | 601          | 17.4% | 1,034   | 30.0% | 252                   | 7.3%  | 782   | 22.7% | 1,083        | 31.4% | 2,367  | 68.6% |     |    |
|                            |        | H22 | 17,839     | 4,049             | 22.7% | 2,821         | 69.7% | 852          | 21.0% | 865   | 21.4% | 407    | 10.1% | 697          | 17.2% | 1,228   | 30.3% | 316                   | 7.8%  | 912   | 22.5% | 1,272        | 31.4% | 2,777  | 68.6% |     |    |
|                            |        | H23 | 18,149     | 4,232             | 23.3% | 2,791         | 65.9% | 842          | 19.9% | 810   | 19.1% | 448    | 10.6% | 691          | 16.3% | 1,441   | 34.1% | 403                   | 9.5%  | 1,038 | 24.5% | 1,258        | 29.7% | 2,974  | 70.3% |     |    |
|                            | 女<br>性 | H20 | 17,577     | 3,795             | 21.6% | 2,858         | 75.3% | 1,422        | 37.5% | 173   | 4.6%  | 334    | 8.8%  | 929          | 24.5% | 937     | 24.7% | 315                   | 8.3%  | 622   | 16.4% | 507          | 13.4% | 3,288  | 86.6% |     |    |
|                            |        | H21 | 17,595     | 5,238             | 29.8% | 3,948         | 75.4% | 2,076        | 39.6% | 260   | 5.0%  | 383    | 7.3%  | 1,229        | 23.5% | 1,290   | 24.6% | 435                   | 8.3%  | 855   | 16.3% | 643          | 12.3% | 4,595  | 87.7% |     |    |
|                            |        | H22 | 17,945     | 5,810             | 32.4% | 4,320         | 74.4% | 2,184        | 37.6% | 262   | 4.5%  | 464    | 8.0%  | 1,410        | 24.3% | 1,490   | 25.6% | 552                   | 9.5%  | 938   | 16.1% | 726          | 12.5% | 5,084  | 87.5% |     |    |
|                            |        | H23 | 18,201     | 6,174             | 33.9% | 4,402         | 71.3% | 2,198        | 35.6% | 258   | 4.2%  | 460    | 7.5%  | 1,486        | 24.1% | 1,772   | 28.7% | 690                   | 11.2% | 1,082 | 17.5% | 718          | 11.6% | 5,456  | 88.4% |     |    |
| 6<br>5<br>~<br>7<br>4<br>歳 | 男<br>性 | H20 | 9,354      | 2,644             | 28.3% | 1,299         | 49.1% | 405          | 15.3% | -     | -     | 575    | 21.7% | 319          | 12.1% | 1,345   | 50.9% | 461                   | 17.4% | 884   | 33.4% | 575          | 21.7% | 2,069  | 78.3% |     |    |
|                            |        | H21 | 8,954      | 3,532             | 39.4% | 1,653         | 46.8% | 481          | 13.6% | -     | -     | 753    | 21.3% | 419          | 11.9% | 1,879   | 53.2% | 667                   | 18.9% | 1,212 | 34.3% | 753          | 21.3% | 2,779  | 78.7% |     |    |
|                            |        | H22 | 8,384      | 3,816             | 45.5% | 1,712         | 44.9% | 504          | 13.2% | -     | -     | 757    | 19.8% | 451          | 11.8% | 2,104   | 55.1% | 708                   | 18.6% | 1,396 | 36.6% | 757          | 19.8% | 3,059  | 80.2% |     |    |
|                            |        | H23 | 8,138      | 3,821             | 47.0% | 1,562         | 40.9% | 477          | 12.5% | -     | -     | 658    | 17.2% | 427          | 11.2% | 2,259   | 59.1% | 784                   | 20.5% | 1,475 | 38.6% | 658          | 17.2% | 3,163  | 82.8% |     |    |
|                            | 女<br>性 | H20 | 11,316     | 3,816             | 33.7% | 1,999         | 52.4% | 715          | 18.7% | -     | -     | 534    | 14.0% | 750          | 19.7% | 1,817   | 47.6% | 669                   | 17.5% | 1,148 | 30.1% | 534          | 14.0% | 3,282  | 86.0% |     |    |
|                            |        | H21 | 11,243     | 5,203             | 46.3% | 2,628         | 50.5% | 968          | 18.6% | -     | -     | 642    | 12.3% | 1,018        | 19.6% | 2,575   | 49.5% | 989                   | 19.0% | 1,586 | 30.5% | 642          | 12.3% | 4,561  | 87.7% |     |    |
|                            |        | H22 | 10,651     | 5,394             | 50.6% | 2,603         | 48.3% | 904          | 16.8% | -     | -     | 663    | 12.3% | 1,036        | 19.2% | 2,791   | 51.7% | 1,057                 | 19.6% | 1,734 | 32.1% | 663          | 12.3% | 4,731  | 87.7% |     |    |
|                            |        | H23 | 10,289     | 5,371             | 52.2% | 2,496         | 46.5% | 877          | 16.3% | -     | -     | 587    | 10.9% | 1,032        | 19.2% | 2,875   | 53.5% | 1,167                 | 21.7% | 1,708 | 31.8% | 587          | 10.9% | 4,784  | 89.1% |     |    |

■平成 23 年度 健診受診者の肥満の分布状況

|                        |          |    | 受診者数   | 肥満該当              |           |         |
|------------------------|----------|----|--------|-------------------|-----------|---------|
|                        |          |    |        | 腹囲 男>=85<br>女>=90 | BMI>=25.0 | どちらかに該当 |
| 生活習慣病治療中<br>(問診票服薬有無)  | コントロール良  | K  | 2,632  | 1,082             | 1,109     | 1,338   |
|                        | コントロール不良 | L  | 5,715  | 3,052             | 3,209     | 3,707   |
| 生活習慣病治療なし<br>(問診票服薬有無) | 受診必要     | M  | 4,106  | 374               | 389       | 519     |
|                        | 受診不要     | N  | 3,165  | 435               | 459       | 612     |
|                        |          | NN | 760    | －                 | －         | －       |
|                        | 動機づけ支援   | O  | 577    | 420               | 472       | 577     |
|                        |          | OO | 1,575  | 1,228             | 1,228     | 1,575   |
|                        | 積極的支援    | P  | 142    | 92                | 139       | 142     |
|                        |          | PP | 926    | 747               | 889       | 926     |
| 計                      |          |    | 19,598 | 7,430             | 7,894     | 9,396   |

■HbA1c（JDS 値）の年次推移

|     | HbA1c測定 | 正常    |       | 保健指導判定値 |       |                |       | 受診勧奨判定値 |      |         |      |         |      |         |      |           |      |
|-----|---------|-------|-------|---------|-------|----------------|-------|---------|------|---------|------|---------|------|---------|------|-----------|------|
|     |         |       |       | 正常高値    |       | 糖尿病の可能性が否定できない |       | 糖尿病     |      |         |      | 合併症の恐れ  |      |         |      | 腎不全発症4.2倍 |      |
|     |         | 5.1以下 |       | 5.2～5.4 |       | 5.5～6.0        |       | 6.1～6.4 |      | 6.5～6.9 |      | 7.0～7.9 |      | 8.0～8.9 |      | 9.0以上     |      |
|     |         | 人数    | 割合    | 人数      | 割合    | 人数             | 割合    | 人数      | 割合   | 人数      | 割合   | 人数      | 割合   | 人数      | 割合   | 人数        | 割合   |
|     | A       | B     | B/A   | C       | C/A   | D              | D/A   | E       | E/A  | F       | F/A  | G       | G/A  | H       | H/A  | I         | I/A  |
| H20 | 12,485  | 5,142 | 41.2% | 4,141   | 33.2% | 2,278          | 18.2% | 327     | 2.6% | 227     | 1.8% | 216     | 1.7% | 73      | 0.6% | 81        | 0.6% |
| H21 | 17,397  | 7,242 | 41.6% | 5,606   | 32.2% | 3,126          | 18.0% | 508     | 2.9% | 354     | 2.0% | 319     | 1.8% | 109     | 0.6% | 133       | 0.8% |
| H22 | 19,009  | 7,438 | 39.1% | 6,091   | 32.0% | 3,774          | 19.9% | 601     | 3.2% | 396     | 2.1% | 406     | 2.1% | 148     | 0.8% | 155       | 0.8% |
| H23 | 19,572  | 8,846 | 45.2% | 5,883   | 30.1% | 3,200          | 16.3% | 603     | 3.1% | 378     | 1.9% | 383     | 2.0% | 148     | 0.8% | 131       | 0.7% |

■重症化しやすいHbA1c（JDS 値）6.1 以上の方の減少は

| 年度  | HbA1c測定 | 5.1以下          | 5.2～5.4        | 5.5～6.0        | 6.1以上    |       |       |  |  |  |  |  |  |  |  |  |  |
|-----|---------|----------------|----------------|----------------|----------|-------|-------|--|--|--|--|--|--|--|--|--|--|
|     |         |                |                |                | 再) 7.0以上 | 未治療   | 治療    |  |  |  |  |  |  |  |  |  |  |
| H20 | 12,485  | 5,142<br>41.2% | 4,141<br>33.2% | 2,278<br>18.2% | 924      | 506   | 418   |  |  |  |  |  |  |  |  |  |  |
|     |         |                |                |                | 7.4%     | 54.8% | 45.2% |  |  |  |  |  |  |  |  |  |  |
| H21 | 17,397  | 7,242<br>41.6% | 5,606<br>32.2% | 3,126<br>18.0% | 1,423    | 713   | 710   |  |  |  |  |  |  |  |  |  |  |
|     |         |                |                |                | 8.2%     | 50.1% | 49.9% |  |  |  |  |  |  |  |  |  |  |
| H22 | 19,009  | 7,438<br>39.1% | 6,091<br>32.0% | 3,774<br>19.9% | 1,706    | 907   | 799   |  |  |  |  |  |  |  |  |  |  |
|     |         |                |                |                | 9.0%     | 53.2% | 46.8% |  |  |  |  |  |  |  |  |  |  |
| H23 | 19,572  | 8,846<br>45.2% | 5,883<br>30.1% | 3,200<br>16.3% | 1,643    | 790   | 853   |  |  |  |  |  |  |  |  |  |  |
|     |         |                |                |                | 8.4%     | 48.1% | 51.9% |  |  |  |  |  |  |  |  |  |  |



■HbA1c（JDS 値）の治療と未治療の状況

|      |     | HbA1c測定 |       | 正常    |       | 保健指導判定値 |       |                    |       | 受診勧奨判定値 |       |         |       |         |       |         |      |         |      |           |    |
|------|-----|---------|-------|-------|-------|---------|-------|--------------------|-------|---------|-------|---------|-------|---------|-------|---------|------|---------|------|-----------|----|
|      |     |         |       |       |       | 正常高値    |       | 糖尿病の可能性が<br>否定できない |       | 糖尿病     |       |         |       | 合併症の恐れ  |       |         |      |         |      | 腎不全発症4.2倍 |    |
|      |     |         |       |       |       |         |       |                    |       |         |       |         |       |         |       |         |      |         |      |           |    |
|      |     |         |       |       |       | 5.1以下   |       | 5.2～5.4            |       | 5.5～6.0 |       | 6.1～6.4 |       | 6.5～6.9 |       | 7.0～7.9 |      | 8.0～8.9 |      | 9.0以上     |    |
|      |     |         |       |       |       | 人数      | 割合    | 人数                 | 割合    | 人数      | 割合    | 人数      | 割合    | 人数      | 割合    | 人数      | 割合   | 人数      | 割合   | 人数        | 割合 |
|      |     | A'      | A'/A  | B     | B/A   | C       | C/A   | D                  | D/A   | E       | E/A   | F       | F/A   | G       | G/A   | H       | H/A  | I       | I/A  |           |    |
| 治療中  | H20 | 581     | 4.7%  | 21    | 3.6%  | 34      | 5.9%  | 108                | 18.6% | 98      | 16.9% | 104     | 17.9% | 132     | 22.7% | 49      | 8.4% | 35      | 6.0% |           |    |
|      | H21 | 929     | 5.3%  | 33    | 3.6%  | 36      | 3.9%  | 150                | 16.1% | 176     | 18.9% | 195     | 21.0% | 204     | 22.0% | 71      | 7.6% | 64      | 6.9% |           |    |
|      | H22 | 1,068   | 5.6%  | 22    | 2.1%  | 47      | 4.4%  | 200                | 18.7% | 167     | 15.6% | 194     | 18.2% | 273     | 25.6% | 98      | 9.2% | 67      | 6.3% |           |    |
|      | H23 | 1,191   | 6.1%  | 38    | 3.2%  | 60      | 5.0%  | 240                | 20.2% | 215     | 18.1% | 210     | 17.6% | 274     | 23.0% | 100     | 8.4% | 54      | 4.5% |           |    |
| 治療なし | H20 | 11,904  | 95.3% | 5,121 | 43.0% | 4,107   | 34.5% | 2,170              | 18.2% | 229     | 1.9%  | 123     | 1.0%  | 84      | 0.7%  | 24      | 0.2% | 46      | 0.4% |           |    |
|      | H21 | 16,468  | 94.7% | 7,209 | 43.8% | 5,570   | 33.8% | 2,976              | 18.1% | 332     | 2.0%  | 159     | 1.0%  | 115     | 0.7%  | 38      | 0.2% | 69      | 0.4% |           |    |
|      | H22 | 17,941  | 94.4% | 7,416 | 41.3% | 6,044   | 33.7% | 3,574              | 19.9% | 434     | 2.4%  | 202     | 1.1%  | 133     | 0.7%  | 50      | 0.3% | 88      | 0.5% |           |    |
|      | H23 | 18,381  | 93.9% | 8,808 | 47.9% | 5,823   | 31.7% | 2,960              | 16.1% | 388     | 2.1%  | 168     | 0.9%  | 109     | 0.6%  | 48      | 0.3% | 77      | 0.4% |           |    |

■特定保健指導と情報提供の状況

|                |     | HbA1c測定 |       | 正 常   |       | 保健指導判定値 |       |                    |       | 受診勧奨判定値 |      |         |      |         |      |         |      |         |      |           |    |
|----------------|-----|---------|-------|-------|-------|---------|-------|--------------------|-------|---------|------|---------|------|---------|------|---------|------|---------|------|-----------|----|
|                |     |         |       |       |       | 正常高値    |       | 糖尿病の可能性が<br>否定できない |       | 糖尿病     |      |         |      | 合併症の恐れ  |      |         |      |         |      | 腎不全発症4.2倍 |    |
|                |     |         |       |       |       |         |       |                    |       |         |      |         |      |         |      |         |      |         |      |           |    |
|                |     |         |       |       |       | 5.1以下   |       | 5.2～5.4            |       | 5.5～6.0 |      | 6.1～6.4 |      | 6.5～6.9 |      | 7.0～7.9 |      | 8.0～8.9 |      | 9.0以上     |    |
|                |     |         |       |       |       | 人数      | 割合    | 人数                 | 割合    | 人数      | 割合   | 人数      | 割合   | 人数      | 割合   | 人数      | 割合   | 人数      | 割合   | 人数        | 割合 |
|                |     | A'      | A'/A  | B     | B/A   | C       | C/A   | D                  | D/A   | E       | E/A  | F       | F/A  | G       | G/A  | H       | H/A  | I       | I/A  |           |    |
| 特定<br>保健<br>指導 | H20 | 2,332   | 18.7% | 771   | 33.1% | 831     | 35.6% | 564                | 24.2% | 64      | 2.7% | 33      | 1.4% | 35      | 1.5% | 10      | 0.4% | 24      | 1.0% |           |    |
|                | H21 | 3,116   | 17.9% | 1,046 | 33.6% | 1,064   | 34.1% | 753                | 24.2% | 88      | 2.8% | 57      | 1.8% | 49      | 1.6% | 21      | 0.7% | 38      | 1.2% |           |    |
|                | H22 | 3,411   | 17.9% | 1,144 | 33.5% | 1,178   | 34.5% | 810                | 23.7% | 99      | 2.9% | 62      | 1.8% | 51      | 1.5% | 23      | 0.7% | 44      | 1.3% |           |    |
|                | H23 | 3,217   | 16.4% | 1,308 | 40.7% | 1,028   | 32.0% | 637                | 19.8% | 94      | 2.9% | 46      | 1.4% | 36      | 1.1% | 27      | 0.8% | 41      | 1.3% |           |    |
| 情報<br>提供       | H20 | 10,153  | 81.3% | 4,371 | 43.1% | 3,310   | 32.6% | 1,714              | 16.9% | 263     | 2.6% | 194     | 1.9% | 181     | 1.8% | 63      | 0.6% | 57      | 0.6% |           |    |
|                | H21 | 14,281  | 82.1% | 6,196 | 43.4% | 4,542   | 31.8% | 2,373              | 16.6% | 420     | 2.9% | 297     | 2.1% | 270     | 1.9% | 88      | 0.6% | 95      | 0.7% |           |    |
|                | H22 | 15,598  | 82.1% | 6,294 | 40.4% | 4,913   | 31.5% | 2,964              | 19.0% | 502     | 3.2% | 334     | 2.1% | 355     | 2.3% | 125     | 0.8% | 111     | 0.7% |           |    |
|                | H23 | 16,355  | 83.6% | 7,538 | 46.1% | 4,855   | 29.7% | 2,563              | 15.7% | 509     | 3.1% | 332     | 2.0% | 347     | 2.1% | 121     | 0.7% | 90      | 0.6% |           |    |

# ■血圧の年次推移

|     | 血圧測定者  | 正常     |       | 保健指導判定値 |       | 受診勧奨判定値 |       |     |      |     |      |
|-----|--------|--------|-------|---------|-------|---------|-------|-----|------|-----|------|
|     |        | 正常     |       | 正常高値    |       | Ⅰ 度     |       | Ⅱ 度 |      | Ⅲ 度 |      |
|     |        | 人数     | 割合    | 人数      | 割合    | 人数      | 割合    | 人数  | 割合   | 人数  | 割合   |
|     | A      | B      | B/A   | C       | C/A   | D       | D/A   | E   | E/A  | F   | F/A  |
| H20 | 12,493 | 6,339  | 50.7% | 2,771   | 22.2% | 2,740   | 21.9% | 540 | 4.3% | 103 | 0.8% |
| H21 | 17,423 | 8,994  | 51.6% | 3,706   | 21.3% | 3,776   | 21.7% | 805 | 4.6% | 142 | 0.8% |
| H22 | 19,069 | 9,750  | 51.1% | 4,006   | 21.0% | 4,196   | 22.0% | 914 | 4.8% | 203 | 1.1% |
| H23 | 19,597 | 10,044 | 51.3% | 4,274   | 21.8% | 4,248   | 21.7% | 859 | 4.4% | 172 | 0.9% |

# ■血圧の年次推移

| 年度  | 健診<br>受診者 | 正常              | 正常高値           | Ⅰ 度<br>高血圧     | Ⅱ 度高血圧以上      |              |              |      |  |  |  |  |
|-----|-----------|-----------------|----------------|----------------|---------------|--------------|--------------|------|--|--|--|--|
|     |           |                 |                |                | 再Ⅲ度高血圧        | 再掲           |              |      |  |  |  |  |
|     |           |                 |                |                |               | 未治療          | 治療           |      |  |  |  |  |
| H20 | 12,493    | 6,339<br>50.7%  | 2,771<br>22.2% | 2,740<br>21.9% | 643<br>5.1%   | 352<br>54.7% | 291<br>45.3% |      |  |  |  |  |
|     |           |                 |                |                | 103<br>0.8%   | 68<br>66.0%  | 35<br>34.0%  | 0.8% |  |  |  |  |
| H21 | 17,423    | 8,994<br>51.6%  | 3,706<br>21.3% | 3,776<br>21.7% | 947<br>5.4%   | 507<br>53.5% | 440<br>46.5% |      |  |  |  |  |
|     |           |                 |                |                | 142<br>0.8%   | 90<br>63.4%  | 52<br>36.6%  | 0.8% |  |  |  |  |
| H22 | 19,069    | 9,750<br>51.1%  | 4,006<br>21.0% | 4,196<br>22.0% | 1,117<br>5.9% | 633<br>56.7% | 484<br>43.3% |      |  |  |  |  |
|     |           |                 |                |                | 203<br>1.1%   | 124<br>61.1% | 79<br>38.9%  | 1.1% |  |  |  |  |
| H23 | 19,597    | 10,044<br>51.3% | 4,274<br>21.8% | 4,248<br>21.7% | 1,031<br>5.3% | 553<br>53.6% | 478<br>46.4% |      |  |  |  |  |
|     |           |                 |                |                | 172<br>0.9%   | 114<br>66.3% | 58<br>33.7%  | 0.9% |  |  |  |  |

■血圧の治療と未治療の状況

|        |     | 血圧測定者  |       | 正常    |       | 保健指導判定値 |       | 受診勧奨判定値 |       |     |      |     |      |
|--------|-----|--------|-------|-------|-------|---------|-------|---------|-------|-----|------|-----|------|
|        |     |        |       | 正常    |       | 正常高値    |       | Ⅰ 度     |       | Ⅱ 度 |      | Ⅲ 度 |      |
|        |     |        |       | 人数    | 割合    | 人数      | 割合    | 人数      | 割合    | 人数  | 割合   | 人数  | 割合   |
|        |     | A'     | A'/A  | B     | B/A   | C       | C/A   | D       | D/A   | E   | E/A  | F   | F/A  |
| 特定保健指導 | H20 | 2,333  | 18.7% | 760   | 32.6% | 711     | 30.5% | 653     | 28.0% | 158 | 6.8% | 51  | 2.2% |
|        | H21 | 3,121  | 17.9% | 1,015 | 32.5% | 884     | 28.3% | 933     | 29.9% | 226 | 7.2% | 63  | 2.0% |
|        | H22 | 3,418  | 17.9% | 1,066 | 31.2% | 968     | 28.3% | 1,023   | 29.9% | 279 | 8.2% | 82  | 2.4% |
|        | H23 | 3,220  | 16.4% | 1,024 | 31.8% | 919     | 28.5% | 953     | 29.6% | 253 | 7.9% | 71  | 2.2% |
| 情報提供   | H20 | 10,160 | 81.3% | 5,579 | 54.9% | 2,060   | 20.3% | 2,087   | 20.5% | 382 | 3.8% | 52  | 0.5% |
|        | H21 | 14,302 | 82.1% | 7,979 | 55.8% | 2,822   | 19.7% | 2,843   | 19.9% | 579 | 4.0% | 79  | 0.6% |
|        | H22 | 15,651 | 82.1% | 8,684 | 55.5% | 3,038   | 19.4% | 3,173   | 20.3% | 635 | 4.1% | 121 | 0.8% |
|        | H23 | 16,377 | 83.6% | 9,020 | 55.1% | 3,355   | 20.5% | 3,295   | 20.1% | 606 | 3.7% | 101 | 0.6% |

■特定保健指導と情報提供の状況


|      |     | 血圧測定者  |       | 正常    |       | 保健指導判定値 |       | 受診勧奨判定値 |       |     |      |     |      |
|------|-----|--------|-------|-------|-------|---------|-------|---------|-------|-----|------|-----|------|
|      |     |        |       | 正常    |       | 正常高値    |       | Ⅰ 度     |       | Ⅱ 度 |      | Ⅲ 度 |      |
|      |     |        |       | 人数    | 割合    | 人数      | 割合    | 人数      | 割合    | 人数  | 割合   | 人数  | 割合   |
|      |     | A'     | A'/A  | B     | B/A   | C       | C/A   | D       | D/A   | E   | E/A  | F   | F/A  |
| 治療中  | H20 | 3,892  | 31.2% | 1,140 | 29.3% | 1,092   | 28.1% | 1,369   | 35.2% | 256 | 6.6% | 35  | 0.9% |
|      | H21 | 5,515  | 31.7% | 1,723 | 31.2% | 1,524   | 27.6% | 1,828   | 33.1% | 388 | 7.0% | 52  | 0.9% |
|      | H22 | 6,251  | 32.8% | 2,009 | 32.1% | 1,719   | 27.5% | 2,039   | 32.6% | 405 | 6.5% | 79  | 1.3% |
|      | H23 | 6,889  | 35.2% | 2,298 | 33.4% | 1,950   | 28.3% | 2,163   | 31.4% | 420 | 6.1% | 58  | 0.8% |
| 治療なし | H20 | 8,601  | 68.8% | 5,199 | 60.4% | 1,679   | 19.5% | 1,371   | 15.9% | 284 | 3.3% | 68  | 0.8% |
|      | H21 | 11,908 | 68.3% | 7,271 | 61.1% | 2,182   | 18.3% | 1,948   | 16.4% | 417 | 3.5% | 90  | 0.8% |
|      | H22 | 12,818 | 67.2% | 7,741 | 60.4% | 2,287   | 17.8% | 2,157   | 16.8% | 509 | 4.0% | 124 | 1.0% |
|      | H23 | 12,708 | 64.8% | 7,746 | 61.0% | 2,324   | 18.3% | 2,085   | 16.4% | 439 | 3.5% | 114 | 0.9% |

■平成 23 年度 初回受診者と複数回受診者の健診結果比較


| 受診勧奨値のうちガイドラインを踏まえた受診勧奨対象者 |              |            |       | 全体       |         | 継続受診者<br>過去に1回以上受診がある者 |         | H23年度<br>初めて受診者 |         |       |
|----------------------------|--------------|------------|-------|----------|---------|------------------------|---------|-----------------|---------|-------|
| 受診者数                       |              |            |       | 19,598 人 | 100.0%  | 14,915 人               | 76.1%   | 4,683 人         | 23.9%   |       |
| 項目                         |              |            | 基準値   | 人数       | 割合      | 人数                     | 割合      | 人数              | 割合      |       |
| 身体の大きさ                     |              | BMI        |       | 25以上     | 7,430 人 | 37.9%                  | 5,462 人 | 36.6%           | 1,968 人 | 42.0% |
|                            |              | 腹囲         |       | 85or90以上 | 7,894 人 | 40.3%                  | 5,856 人 | 39.3%           | 2,038 人 | 43.5% |
| 血管が傷む<br>(動脈硬化の<br>危険因子)   | 内臓脂肪         | 中性脂肪       |       | 400以上    | 288 人   | 1.5%                   | 173 人   | 1.2%            | 115 人   | 2.5%  |
|                            |              | HDLコレステロール |       | 34以下     | 367 人   | 1.9%                   | 249 人   | 1.7%            | 118 人   | 2.5%  |
|                            | インスリン<br>抵抗性 | 血糖         | 空腹時血糖 | 126以上    | 1,105 人 | --                     | 784 人   | --              | 321 人   | --    |
|                            |              |            | HbA1c | 6.5以上    | 1,040 人 | --                     | 724 人   | --              | 316 人   | --    |
|                            |              |            | 計     |          | 1,427 人 | 7.3%                   | 1,007 人 | 6.8%            | 420 人   | 9.0%  |
|                            | 血管を<br>傷つける  | 血圧         | 収縮期   | 160以上    | 832 人   | 4.2%                   | 560 人   | 3.8%            | 272 人   | 5.8%  |
|                            |              |            | 拡張期   | 100以上    | 447 人   | 2.3%                   | 274 人   | 1.8%            | 173 人   | 3.7%  |
|                            |              |            | 計     |          | 1,031 人 | 5.3%                   | 682 人   | 4.6%            | 349 人   | 7.5%  |
| その他の動脈硬化危険因子               |              | LDLコレステロール | 160以上 | 2,676 人  | 13.7%   | 1,998 人                | 13.4%   | 678 人           | 14.5%   |       |
| 腎機能                        |              | 尿蛋白        |       | 2+以上     | 397 人   | 2.0%                   | 275 人   | 1.8%            | 122 人   | 2.6%  |
|                            |              | eGFR       |       | 50or40未満 | 469 人   | --                     | 350 人   | --              | 119 人   | --    |
|                            |              | 尿酸         |       | 9.0以上    | 206 人   | --                     | 137 人   | --              | 69 人    | --    |

\* 空腹時血糖・HbA1c・eGFR・尿酸については検査実施者数が異なる場合、検査実施者数を分母に割合を算出


## ■食の構造図



■冠動脈 10 年死亡率：日本男性



■冠動脈 10 年死亡率：日本男性



那覇市国民健康保険

## 第2期特定健康診査等実施計画

平成25年3月

[発行]

那覇市健康保険局 特定健診課

[問い合わせ]

那覇市健康保険局 特定健診課  
沖縄県那覇市泉崎1丁目1番1号  
TEL (098) 867-0111 (代表)